

Texas Department of State Health Services

Center for Health Statistics Texas Health Care Information Collection

TEXAS HOSPITAL INPATIENT DISCHARGE PUBLIC USE DATA FILE (PUDF)

USER MANUAL

2016

BACKGROUND	2
PUBLIC USE DATA FILE (PUDF)	2
DATA PROCESSING AND QUALITY	4
PATIENT/PHYSICIAN CONFIDENTIALITY	4
RESTRICTIONS ON DATA USE	5
DATA LIMITATIONS (Users are advised to become familiar with the data limitations.)	
HOSPITAL COMMENTS(Users are advised to consider hospital comments in any analysis of the data.)	
CITATION	9
DATA DICTIONARYBASE DATA #1 FILEBASE DATA #2 FILECHARGES DATA FILEFACILITY TYPE INDICATOR FILE	10 31 44
DATA FIELDS BASE DATA #1 FILE BASE DATA #2 FILE CHARGES DATA FILE FACILITY TYPE INDICATOR FILE	55 60 63

BACKGROUND

The Texas Health Care Information Council (THCIC) was created by Chapter 108 of the Texas Health and Safety Code (THSC) and was responsible, under Sections 108.011 through 108.0135, for collecting hospital discharge data from all state licensed hospitals except those that are statutorily exempt from the reporting requirement. Exempt hospitals include those located in a county with a population less than 35,000, or those located in a county with a population more than 35,000 and with fewer than 100 licensed hospital beds and not located in an area that is delineated as an urbanized area by the United States Bureau of the Census (Section 108.0025). Exempt hospitals also include hospitals that do not seek insurance payment or government reimbursement (Section 108.009). THCIC became part of the Texas Department of State Health Services (DSHS) effective September 1, 2004 and the DSHS Center for Health Statistics is now responsible for the collection and release of hospital discharge data.

Senate Bill (SB) 7 (82nd Texas Legislature First Called Special Session) SECTION 7.06 repeals the facility exemption sections in Chapter 108 effective September 1, 2014. Rules were adopted implementing the rural provider requirements to begin with January 1, 2015 data. Rural providers and providers that are exempt from state franchise, sales, ad valorem, or other state or local taxes, and that do not seek or receive reimbursement for providing health care services to patients from any source will no longer be exempt from the data reporting requirements of Chapter 108.

PUBLIC USE DATA FILE (PUDF)

Sections 108.011(a) and 108.012 of the THSC require DSHS to provide public use data for computer-to-computer access. It also permits DSHS to charge the data requestor a fee for using the Public Use Data File (PUDF). The PUDF contains patient-level information for inpatient hospital stays. These data are extracted from DSHS's Hospital Discharge Database (HDD).

The PUDF Base Data File is split into two (2) Base Data files. Base Data #1 File contains the required data elements. Base Data #2 File contains most of the situationally required data elements and some calculated fields. The Record ID allows for linking the files together. The providers/submitters have, by law, until the next quarter (following the discharge) to submit their data. This means that the PUDF data is a snapshot in time and each quarter may contain some discharges dated in the previous quarter (i.e. for calendar year data be sure to check the first quarter of the following year also).

The Facility Type Indicator File is also included. This contains 12 variables including the THCIC ID and facility name and variables indicating whether the facility is a teaching facility or pediatric hospital or other specialty facility. The file also includes POA provider indicator and certification status.

A Facility Reporting Status document is included which provides information about whether the facilities reported or if they reported low numbers and their identification was masked in the data, reported no discharges or if they closed, were out of compliance and if they submitted any comments about their data.

Additionally, the submitter Comments File is included. This contains any comments that were included by the submitter when the respective data was submitted and certified from a given facility.

The 2016 PUDF is available in four fixed length format text files, Base Data #1 (logical record length of 802 bytes), Base Data #2 (logical record length of 648 bytes), Charges (logical record length of 80 bytes), and Facility Type Data (logical record length of 71 bytes) files. The files are also available in tab-delimited format. The size of the files is as follows:

First quarter, 698 hospitals:

Base Data #1	767,347 records	166 variables	Fixed field format	602 MB	Tab-delimited	306 MB
Base Data #2	767,347 records	99 variables	Fixed field format	487 MB	Tab-delimited	205 MB
Charges	12263596 records	13 variables	Fixed field format	982 MB	Tab-delimited	579 MB
Facility Type Data	698 records	12 variables	Fixed field format	50 KB	Tab-delimited	37 KB
Base Data #1	760,654 records	166 variables	Fixed field format	597 MB	Tab-delimited	304 MB
	,					
Base Data #2	760,654 records	99 variables	Fixed field format	483 MB	Tab-delimited	203 MB
Charges	12,135,421 records	13 variables	Fixed field format	972 MB	Tab-delimited	573 MB
Facility Type Data	701 records	12 variables	Fixed field format	50 KB	Tab-delimited	37 KB

The data must be imported into a software package. No software is included with the PUDF. The data file has been tested with several software packages, including Microsoft Access, 2010 Microsoft Excel (one quarter), SAS, and SPSS.

The PUDF, beginning with data collected for 2004, is formatted to accommodate additional data elements available with the collection of data from hospitals using the THCIC 837 format. The following data elements are available in the PUDF beginning with data for 2004 or are not comparable to data collected in years prior to 2004:

BASE DATA #1 FILE (Separated Base File 2011)	
FAC LONG TERM AC IND	Added 2004. Moved to Facility Type Indicator File in 2011
PAT COUNTRY	Added 2004
FIRST PAYMENT SRC	Replaces PAYMENT SOURCE 1 and SOURCE PAYMENT CODE 1
SECOND PAYMENT SRC	Replaces PAYMENT SOURCE 2 and SOURCE PAYMENT CODE 2
REVENUE CODE 23	No longer available
TOTAL CHARGES	Replaces TOTAL_CHARGES_23
TOTAL CHARGES ACCOMM	Replaces CLAIM CHARGES ACCOMM
TOTAL NON COV CHARGES ACCOMM	Replaces CLAIM NON COV CHARGES ACCOMM
TOTAL CHARGES ANCIL	Replaces CLAIM CHARGES ANCIL
TOTAL NON COV CHARGES ANCIL	Replaces CLAIM NON COV CHARGES ANCIL
EXTERNAL_CAUSE_OF_INJURY_1	Replaces EXTNAL_CAUSE_OF_INJURY
EXTERNAL_CAUSE_OF_INJURY_2 to	Added 2004
EXTERNAL_CAUSE_OF_INJURY_10	
OTH_DIAG_CODE_9 to OTH_DIAG_CODE_25	Added 2004
OTH_SURG_PROC_CODE_6 to OTH_SURG_PROC_CODE_25	Added 2004
OTH_SURG_PROC_DAY_6 to OTH_SURG_PROC_DAY_25	Added 2004
OTH ICD9 CODE 6 to OTH ICD9 CODE 25	Added 2004
MS_MDC name changed from CMS_MDC (2011)	Added 2004
INBOUND_INDICATOR	Available 2004 only
POA_PRINC_DIAG_CODE	Added 2011
POA_OTH_DIAG_CODE_1 to POA_OTH_DIAG_CODE_24	Added 2011
POA_E_CODE_1 to POA_ E_CODE_10	Added 2011
MS_GROUPER_ ERROR _CODE	Added 2011
APR_GROUPER_ERROR_CODE	Added 2011
PRINC_ICD9_CODE	No longer available
OTH_ICD9_CODE_1- OTH_ICD9_CODE_24	No longer available
BASE DATA #2 FILE (added 2011) Moved calculated charge amo	
CONDITION_CODE_1 to CONDITION_CODE_8	Added 2004
OCCUR_CODE_1 to OCCUR_CODE_12	Added 2004
OCCUR_DAY_1 to OCCUR_DAY_12	Added 2004

DSHS/THCIC
www.dshs.state.tx.us/THCIC

Page 3

DSHS Document # E25-14163
Last Updated: March, 2017

OCCUR SPAN CODE 1 to OCCUR SPAN CODE 4 OCCUR SPAN FROM 1 to OCCUR SPAN FROM 4 OCCUR SPAN THRU 1 to OCCUR SPAN THRU 4 OCCUR SPAN THRU 1 to OCCUR SPAN THRU 4 VALUE CODE 1 to VALUE CODE 12 Added 2004 VALUE AMOUNT 1 to VALUE AMOUNT 12 Added 2004 CHARGES FILE REVENUE CODE Added 2004 HCPCS QUALIFIER Added 2004 HCPCS PROCEDURE CODE Added 2004 MODIFIER 1 TO MODIFIER 4 Added 2004 UNIT MEASUREMENT CODE Added 2004 UNIT SOF SERVICE Added 2004 UNIT RATE Added 2004 CHRGS LINE ITEM Added 2004 CHRGS NON COV Added 2004 CHRGS LIRE HILL I to Facility Type Indicator File in 2015 CHRGS NON COV Added 2004		
OCCUR_SPAN_THRU_1 to OCCUR_SPAN_THRU_4 Added 2004 VALUE_CODE_1 to VALUE_CODE_12 Added 2004 VALUE_AMOUNT_1 to VALUE_AMOUNT_12 Added 2004 CHARGES FILE REVENUE_CODE Added 2004 HCPCS_QUALIFIER Added 2004 HCPCS_PROCEDURE_CODE Added 2004 MODIFIER_1 TO MODIFIER_4 Added 2004 UNIT_MEASUREMENT_CODE Added 2004 UNIT_SOF_SERVICE Added 2004 UNIT_RATE Added 2004 CHRGS_LINE_ITEM Added 2004 CHRGS_LINE_ITEM Added 2004 CHRGS_NON_COV Added 2004 FACILITY TYPE INDICATOR FILE (added 2011) Moved facility information data elements to this file POA_PROVIDER_INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015		Added 2004
VALUE CODE 1 to VALUE CODE 12 VALUE AMOUNT 1 to VALUE AMOUNT 12 CHARGES FILE REVENUE CODE REVENUE CODE HCPCS QUALIFIER Added 2004 HCPCS PROCEDURE CODE Added 2004 MODIFIER 1 TO MODIFIER 4 Added 2004 UNIT MEASUREMENT CODE Added 2004 UNITS OF SERVICE Added 2004 UNIT RATE CHRGS LINE ITEM Added 2004 CHRGS LINE ITEM Added 2004 CHRGS NON COV Added 2004 FACILITY TYPE INDICATOR FILE (added 2011) Moved facility information data elements to this file POA PROVIDER INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015	OCCUR_SPAN_FROM_1 to OCCUR_SPAN_FROM_4	Added 2004
VALUE_AMOUNT_1 to VALUE_AMOUNT_12 CHARGES FILE REVENUE_CODE HCPCS_QUALIFIER HCPCS_PROCEDURE_CODE MODIFIER_1 TO MODIFIER 4 UNIT_MEASUREMENT_CODE UNITS_OF_SERVICE UNITS_OF_SERVICE UNIT_RATE CHRGS_LINE_ITEM Added 2004 CHRGS_LINE_ITEM Added 2004 CHRGS_NON_COV FACILITY TYPE INDICATOR FILE (added 2011) Moved facility information data elements to this file POA_PROVIDER_INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015	OCCUR_SPAN_THRU_1 to OCCUR_SPAN_THRU_4	Added 2004
CHARGES FILE REVENUE_CODE Added 2004 HCPCS_QUALIFIER Added 2004 HCPCS_PROCEDURE_CODE Added 2004 MODIFIER_1 TO MODIFIER 4 Added 2004 UNIT_MEASUREMENT_CODE Added 2004 UNITS_OF_SERVICE Added 2004 UNIT_RATE Added 2004 UNIT_RATE Added 2004 CHRGS_LINE_ITEM Added 2004 CHRGS_NON_COV Added 2004 FACILITY TYPE INDICATOR FILE (added 2011) Moved facility information data elements to this file POA_PROVIDER_INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015	VALUE_CODE_1 to VALUE_CODE_12	Added 2004
REVENUE_CODE HCPCS_QUALIFIER Added 2004 HCPCS_PROCEDURE_CODE Added 2004 MODIFIER_I TO MODIFIER_4 LUNIT_MEASUREMENT_CODE UNITS_OF_SERVICE Added 2004 UNIT_RATE Added 2004 UNIT_RATE Added 2004 CHRGS_LINE_ITEM Added 2004 CHRGS_NON_COV Added 2004 CHRGS_NON_COV FACILITY_TYPE_INDICATOR FILE (added 2011) Moved facility information data elements to this file POA_PROVIDER_INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015	VALUE_AMOUNT_1 to VALUE_AMOUNT_12	Added 2004
HCPCS_QUALIFIER HCPCS_PROCEDURE_CODE Added 2004 MODIFIER_I TO MODIFIER_4 UNIT_MEASUREMENT_CODE Added 2004 UNITS_OF_SERVICE Added 2004 UNIT_RATE Added 2004 CHRGS_LINE_ITEM CHRGS_NON_COV FACILITY_TYPE_INDICATOR FILE (added 2011) Moved facility information data elements to this file POA_PROVIDER_INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015	CHARGES FILE	
HCPCS_PROCEDURE_CODE MODIFIER_I TO MODIFIER_4 LUNIT_MEASUREMENT_CODE UNITS_OF_SERVICE LUNIT_RATE Added 2004 UNIT_RATE Added 2004 CHRGS_LINE_ITEM CHRGS_NON_COV FACILITY_TYPE_INDICATOR FILE (added 2011) Moved facility information data elements to this file POA_PROVIDER_INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015	REVENUE_CODE	Added 2004
MODIFIER 1 TO MODIFIER 4 UNIT MEASUREMENT CODE Added 2004 UNITS OF SERVICE Added 2004 UNIT RATE Added 2004 CHRGS LINE ITEM CHRGS_NON_COV Added 2004 CHRGS_NON_COV Added 2004 FACILITY TYPE INDICATOR FILE (added 2011) Moved facility information data elements to this file POA_PROVIDER_INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015	HCPCS_QUALIFIER	Added 2004
UNIT MEASUREMENT CODE UNITS OF SERVICE Added 2004 UNIT RATE Added 2004 CHRGS LINE ITEM CHRGS NON COV Added 2004 CHRGS NON COV Added 2004 FACILITY TYPE INDICATOR FILE (added 2011) Moved facility information data elements to this file POA PROVIDER INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015	HCPCS_PROCEDURE_CODE	Added 2004
UNITS OF SERVICE UNIT RATE Added 2004 CHRGS LINE ITEM CHRGS_NON_COV Added 2004 CHRGS_NON_COV Added 2004 FACILITY TYPE INDICATOR FILE (added 2011) Moved facility information data elements to this file POA_PROVIDER_INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015	MODIFIER_1 TO MODIFIER_4	Added 2004
UNIT_RATE Added 2004 CHRGS_LINE_ITEM Added 2004 CHRGS_NON_COV Added 2004 FACILITY TYPE INDICATOR FILE (added 2011) Moved facility information data elements to this file POA_PROVIDER_INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015	UNIT_MEASUREMENT_CODE	Added 2004
CHRGS LINE ITEM Added 2004 CHRGS_NON_COV Added 2004 FACILITY TYPE INDICATOR FILE (added 2011) Moved facility information data elements to this file POA_PROVIDER_INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015	UNITS_OF_SERVICE	Added 2004
CHRGS_NON_COV Added 2004 FACILITY TYPE INDICATOR FILE (added 2011) Moved facility information data elements to this file POA_PROVIDER_INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015	UNIT_RATE	Added 2004
FACILITY TYPE INDICATOR FILE (added 2011) Moved facility information data elements to this file POA_PROVIDER_INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015	CHRGS_LINE_ITEM	Added 2004
POA_PROVIDER_INDICATOR Moved from Base Data #1 file to Facility Type Indicator File in 2015	CHRGS_NON_COV	Added 2004
	FACILITY TYPE INDICATOR FILE (added 2011) Moved facility	ty information data elements to this file
CERT STATUS Moved from Base Data #1 file to Facility Type Indicator File in 2015	POA_PROVIDER_INDICATOR	
	CERT_STATUS	Moved from Base Data #1 file to Facility Type Indicator File in 2015

DATA PROCESSING AND QUALITY

Beginning with data submitted for 2004 discharges hospitals required to submit discharged inpatient claims data, moved from the submission of data in the uniform bill (electronic UB-92) format to the THCIC 837 format. The data are validated through a process of automated auditing and verification. Each individual hospital is responsible for the accuracy and completeness of its data. Even so, each record is subjected by DSHS to a series of audits that check for consistency and conformity with the definitions stated in the data specification manual. Records failing an audit check are returned to the hospital for correction and resubmission. Following the correction process, DSHS uses valid claims data to build files of "encounters" where one encounter contains the final discharge and all related interim claims information for a patient. Then, each submitting hospital has an opportunity to review, to make additional corrections, and to certify the encounter data with or without comments. Finally, DSHS builds a final encounter file that includes all corrections submitted by the hospitals. DSHS staff checks and adjusts for missing values and invalid codes in this file before the PUDF is generated. Users are advised to examine every data element to be used for missing values and invalid codes and to read accompanying notes, comments, and other descriptive text.

Beginning with fourth (4th) quarter 2015 data ICD-10-CM diagnostic codes and ICD-10-PCS procedure codes were mandated by the Federal Government. The increased length of the codes required a change in the data file formats. Some data fields (for example, "POA_Provider_ Indicator" and Cert Status") are moved to the "Facility Type Indicator" file.

PATIENT/PHYSICIAN CONFIDENTIALITY

The legislative intent behind the creation of the Hospital Discharge Database (HDD) was that the data and resulting information be used for the benefit of the public. This is specified in Section 108.013 of the Texas Health and Safety Code (THSC). Section 108.013(c) also stipulates that DSHS may not release and a person or entity may not gain access to any data that could reasonably be expected to reveal the identity of a patient or physician. Any effort to determine the identity of any person violates the Section 108.013 and may incur penalties as stated in Sections 108.014 and 108.0141. In addition, under Section 108.013(e) and (f), patient and/or physician information in the HDD cannot be used for discovery, subpoena, or other means of legal compulsion or in any civil, administrative, or criminal proceeding. Pursuant to the THSC, DSHS excludes all direct personal and demographic identifiers

(e.g., name, address, social security number, patient identifiers, admission and discharge dates) that might lead to the identification of a specific patient from the PUDF.

To protect patient identities, DSHS has suppressed these data elements in this release of the PUDF:

- The last two digits of the patient's ZIP code are suppressed if there are fewer than thirty patients included in the ZIP code.
- The ZIP code is changed to '88888' for patients from states other than Texas and the adjacent states.
- The entire ZIP code and gender code are suppressed if the ICD-10-CM or ICD-10-PCS codes indicates alcohol or drug use or an HIV diagnosis.
- The entire ZIP code and provider name are suppressed if a hospital has fewer than five discharges of a particular gender, including 'unknown'. The provider ID is changed to '999998'.
- The entire ZIP code is suppressed if a hospital has fewer than fifty discharges in a quarter and the provider ID is changed to '999999'.
- The country code is suppressed if the country field has fewer than five discharges for that quarter.
- The county code is suppressed if a county has fewer than five discharges for that quarter.
- Age is represented by 22 age group codes for the general patient population and 5 age group codes for the HIV and alcohol and drug use patient populations.
- Race is changed to 'Other' and ethnicity is suppressed if a hospital has fewer than ten discharges of a race.

To protect physician identities, the THSC requires creation of a uniform identification number for physicians in practice. Uniform physician identifiers are available except when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.

It may be possible in rare instances, through complex analysis and with outside information, to ascertain from the PUDF the identity of individual patients. Considerable harm could result if this were done. PUDF users are required to sign and comply with the DSHS Hospital Discharge Data Use Agreement in the Application before shipment of the PUDF. The Data Use Agreement prohibits attempts to identify individual patients.

RESTRICTIONS ON DATA USE

Section 108.010(c) of the THSC prohibits DSHS from releasing provider quality reports until one year of data is available. Users of the PUDF are cautioned about using less than a year of data to make any hospital quality assumptions.

Sections 108.013(c)(1) and (2) and 108.013 (g) of the Texas Health and Safety Code (THSC) prohibit the DSHS from releasing, and a person or entity from gaining access to, any data that could reveal the identity of a patient or the identity of a physician unless specifically authorized by the Act. Any effort to determine the identity of any person or to use the information for any purpose other than for analysis and aggregate statistical reporting violates the THSC and the Data Use Agreement. By virtue of the Agreement, the signer agrees that the data will not be used to identify an individual patient or physician. Because of these restrictions, under no circumstances will users of the data contact an individual patient or physician or hospital for the purpose of verifying information supplied in the DSHS Hospital Discharge Data sets. Any questions about the data must be referred to DSHS only.

Data analysis assistance is not provided by DSHS. The data are protected by United States copyright laws and international treaty provisions.

In the Data Use Agreement, the purchaser and end-user of the data are referred to as the "licensee". To acquire the data the licensee must give the following assurances with respect to the use of DSHS Hospital Discharge Data sets:

- The licensee will not release nor permit others to release the individual patient records or any part of them to any person who is not a staff member of the organization that has acquired the data, except with the written approval of DSHS;
- The licensee will not attempt to link nor permit others to attempt to link the hospital stay records of patients in this data set with personally identifiable records from any other source, including any THCIC research data files;
- The licensee will not release nor permit others to release any information that identifies persons, directly or indirectly;
- The licensee will not attempt to use nor permit others to use the data to learn the identity of any physician;
- The licensee will not permit others to copy, sell, rent, license, lease, loan, or otherwise grant access to the data covered by the Data Use Agreement to any other person or entity, unless approved in writing by DSHS;
- The licensee agrees to read the User Manual and to be cognizant of the limitations of the data;
- The licensee will use the following citation in any publication of information from this file:
- Texas Hospital Inpatient Discharge Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication];
- The licensee will indemnify, defend, and hold the DSHS, its members, employees, and the Department's contract vendors harmless from any and all claims and losses accruing to any person as a result of violation of this agreement; and
- The licensee will make no statement nor permit others to make statements indicating or suggesting that interpretations drawn from these data are those of DSHS.

The licensee understands that these assurances are collected by DSHS to assure compliance with its statutory confidentiality requirement. The signature on behalf of the licensee indicates the licensee's agreement to comply with the above-stated requirements with the knowledge that under Sections 108.014 and 108.0141 of the Texas Health and Safety Code to knowingly or negligently release data in violation of this agreement is punishable by a fine of up to \$10,000 and an offense is a state jail felony. By signing the Data Use Agreement, the PUDF user has been informed that the potential for both civil and criminal penalties exists.

Users of report generating software to access the PUDF are required to purchase a license to use the data.

DATA LIMITATIONS

(Users are advised to become familiar with the data limitations.)

- Section 108.009(h), THSC requires that a uniform submission format be used for reporting purposes. Before 2004 data were collected in the UB-92 format. Data for 2004 were collected in both UB-92 electronic format and THCIC 837 format. Because these are billing forms, the data collected are administrative data and not clinical data. Beginning with 2005 all data are collected from the THCIC 837 format.
- Records with Major Diagnositic Category (MDC) codes of 15 (newborns and other neonates with conditions originating in the perinatal period), 20 (alcohol/drug induced organic mental disorders), or 22 (burns) and Patient Status codes of 62 (discharged/transferred to inpatient rehabilitation), 71 (discharged/transferred to other outpatient service), or 72 (discharged/transferred to institution outpatient service) contain an APR-DRG of 956 (ungroupable). These Patient Status codes were not valid when version 15 of the 3M APR-DRG Grouper was developed. A valid Patient Status code is required for these MDC codes for APR-DRG assignment and Risk of Mortality and Severity of Illness scoring. Patient status codes 71 and 72 are no longer valid as of October 2003. After October 2003 records with MDC codes of 15, 20, or 22 and Patient Status code of 62 contain an APR-DRG of 956.
- Hospital charges data are available after third (3rd) quarter 2000. Earlier data were not reported correctly by some hospitals.
- Secondary source of payment data are available after third (3rd) quarter 2000. Earlier data were not reported correctly by some hospitals.
- Gender is suppressed for patients with an ICD-10-CM code that indicates drug or alcohol use or an HIV diagnosis.
- The last two digits of the ZIP code are suppressed if there are fewer than thirty patients included in the zip code. All of the ZIP code is suppressed for patients with an ICD-10-CM code that indicates drug or alcohol use or an HIV diagnosis or if a hospital has fewer than five discharges of a particular gender, including 'unknown'. ZIP code is changed to '88888' for patients from a state other than Texas and not from an adjacent state. If ZIP is '88888' the state abbreviation is changed to 'ZZ'. ZIP code is suppressed if a hospital has fewer than five patients of a particular gender, including 'unknown'.
- Admission Source as reported by hospitals is suppressed, as recommended by the Council, when the Admission Type is 'newborn'. Data users can use ICD-10-CM codes to correctly identify the clinical status of newborns.
- Uniform identification numbers for physicians are available after first (1st) quarter 2000 except when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.
- The data are a snapshot in time. Hospitals must submit data no later than 60 days after the close of a calendar quarter. Depending on hospitals' collection and billing cycles, not all discharges may have been billed or reported. This can affect the accuracy of source of payment data, particularly self-pay and charity that may later qualify for Medicaid or other payment sources.
- Beginning with data for 2004 discharges, up to 25 diagnosis codes, up to 25 procedure codes, and up to 10 E-codes can be submitted. For earlier years the number of diagnosis codes collected per patient is limited to 9 and the number of procedure codes to 6. Because of these

limitations, sicker patients and the hospitals that treat them may not be accurately represented in the data. This may also result in total volume and percentage calculations for diagnoses and procedures not being complete.

- Race and ethnicity data are required by law and rule to submit for each patient, generally not collected by hospitals and may be subjectively captured.
- Inaccuracies in the data and incompleteness of the data are addressed in the hospitals' comments if submitted by the facilities.
- County of residence is not collected by hospitals. County Federal Information Processing Standard (FIPS) codes are assigned by DSHS based on patient ZIP code.
- DSHS assigns the Risk of Mortality and Severity of Illness scores using methodology designed by 3M. These scores may be affected by the number of diagnoses and procedure codes collected by DSHS or by the facility's information system and may be understated.
- Comparability of length of stay (LOS) across hospitals is affected by factors such as case-mix and severity complexity, payer-mix, market areas and hospital ownership, affiliation or teaching status. Any analysis of LOS at the hospital level should consider the above factors.
- Length of stay is limited to 999 days prior to 2004 discharges.
- Any analysis of mortality should note that the data reflect only patients who died in the hospital and not those who died after discharge from the hospital.
- Conditions present at time of admission cannot be distinguished from those occurring during
 hospitalization prior to 2011 discharges. Diagnosis present on admission indicator codes
 (POA) were required for all hospitals, except Critical Access Hospitals, Inpatient
 Rehabilitation Hospitals, Inpatient Psychiatric Hospitals, Cancer Hospitals, Children's or
 Pediatric Hospitals, and Long Term Care Hospitals. Some acute care hospitals that have
 special units similar to the hospitals exempted from reporting POA may not include POA
 codes for those patients.
- Updates to any PUDF CD's are available through the THCIC website, http://www.dshs.state.tx.us/thcic/, which should be checked periodically as notifications of an update will not be sent.
- DSHS collects data from all hospitals in the state not specifically exempted by statute prior to January 1, 2015 services. Some hospitals maybe exempted for certain situations (for example, natural or other disasters or other unusual conditions) for limited time periods. This hospital mix should be considered when drawing conclusions about the data or making comparisons with other data.
- Any conclusions drawn from the data are subject to errors caused by the inability of the hospital to communicate complete data due to form constraints, subjectivity in the assignment of codes, system mapping, and clerical error. The data are submitted by hospitals as their best effort to meet statutory requirements.

HOSPITAL COMMENTS

(Users are advised to consider hospital comments in any analysis of the data.)

Included with the PUDF is a separate file containing the unedited comments submitted by hospitals at the time of data certification. Comments relating to individual data elements should be considered in any analysis of those data elements. These comments express the opinions of individual hospitals and

DSHS/THCIC
www.dshs.state.tx.us/THCIC

Page 8

DSHS Document # E25-14163

Last Updated: March, 2017

are not necessarily the views of the DSHS. Hospitals that submitted comments are identified in separate file called the 'Reporting Status of Texas Hospitals'.

CITATION

Any statistical reporting or analysis based on the data shall cite the source as the following:

Texas Hospital Inpatient Discharge Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication].



Texas Department of State Health Services

Texas Hospital Inpatient Discharge Public Use Data File

DATA DICTIONARY

The purpose of this document is to provide the user with the necessary information to use and understand the data in the Public Use Data File. The following information is provided:

FieldUnique, abbreviated name of the data element.DescriptionBrief explanation of the data element. Descriptions of data elements are taken from specifications manualsData SourceProvided by the health care facility on the claim form (Claim)Assigned by DSHS (Assigned)Calculated by DSHS (Calculated)Note: For those data elements that have been temporarily suppressed, the quarter of data for which the data element will be released is noted following the Data Source.TypeAlphanumeric or numericCoding schemeValid codes for a data field. Values taken from specifications manuals.

Note a change: Any code provided by a hospital that has been determined to be invalid has been assigned the value `. Any data element that is blank should be interpreted as 'missing', no data provided, unless otherwise noted.

BASE DATA #1 FILE

Field 1:	RECORD_ID		
Description:	Record Identification Numb	er. Unique numbe	er assigned to identify the record. First available
•	1 st quarter 2002. Does NOT	match the RECC	ORD ID in THCIC Research Data Files (RDF's).
Beginning Position:	1	Data Source:	Assigned
Length:	12	Type:	Alphanumeric
Field 2:	DISCHARGE		
Description:	Discharge Quarter. Year and	d quarter of discha	arge. yyyyQn.
Beginning Position:	13	Data Source:	Assigned
Length:	6	Type:	Alphanumeric
Field 3:	THCIC_ID		
Description:	Provider ID. Unique identifi	ier assigned to the	provider by DSHS.
Suppression:	Hospitals with fewer than 5	0 discharges have	been aggregated into the Provider ID '999999'. If
	a hospital has fewer than 5 c	discharges of a par	rticular gender, including 'unknown', Provider ID
	is '999998'.		
Beginning Position:	19	Data Source:	Assigned
Length:	6	Type:	Alphanumeric
Field 4:	TYPE_OF_ADMISSION		
Description:	Code indicating the type of	admission	
-			
DSHS/THCIC		— Page 10 —	DSHS Document # E25-14163
rrmmr dala atata tre na/	THCIC	1 agt 10	Lost Undeted, March 2017

www.dshs.state.tx.us/THCIC Page 10 Last Updated: March, 2017

Coding Scheme:	2 Urge			
	3 Elect 4 Newl			
	5 Traus			
	9 Infor ` Inval	mation not available		
Beginning Position:	25	Data Source:	Claim	
Length:	1	Type:	Alphanumeric	
Field 5:		OF_ADMISSION		
Description:		ing source of the admission.	1.1.1.2010)	
Coding Scheme:		Healthcare Facility Point of Origin (Beg c or Physician's Office	ginning July 1, 2010)	
		sfer from a hospital		
		sfer from a skilled nursing facility, interr	mediate care facility or ass	isted living facility
		sfer from another health care facility t/Law Enforcement		
	9 Infor	mation not available		
		sfer from One distinct Unit of the Hospit rte Claim to the Payer	tal to another Distinct Unit	of the Same Hospital Resulting in a
		sfer from Amubulatory Surgery Center		
	F Trans	sfer from a Hospice Facility		
	` Inval	id ssion=4 (Newborn)		
	• •	inside this hospital		
		outside this hospital		
Beginning Position:	26	Data Source:	Claim	
Length:	1	Type:	Alphanumeric	
Field 6:	SPEC_UNIT	_	or accurred based on	number of days by Type of
Description:		its in which most days during sta nue Code. In order by number of		
		5 are combined in one field in		
	_	in the fixed length file.		
Coding Scheme:	С	Coronary Care Unit	P	Pediatric Unit
	D I	Detoxification Unit Intensive Care Unit	Y R	Psychiatric Unit Rehabilitation Unit
	Н	Hospice Unit	U	Sub-acute Care Unit
	N	Nursery	S	Skilled Nursing Unit
	B O	Obstetric Unit Oncology Unit	Blank	Acute Care
Beginning Position:	27	Data Source:	Calculated	
Length:	1	Туре:	Alphanumeric	
Field 7:	SPEC_UNIT			
Description:		its in which most days during sta	ay occurred based on	number of days by Type of
Cading Sahama	Bill or Reven			
Coding Scheme: Beginning Position:	28	SPEC_UNIT_1 Data Source:		
Length:	1	Type:	Alphanumeric	
Field 8:	SPEC UNIT			
Description:		its in which most days during sta	ay occurred based on	number of days by Type of
	Bill or Reven			
Coding Scheme:	Same as field	I SPEC_UNIT_1		
Beginning Position:	29	Data Source:		
Length:	1	Type:	Alphanumeric	
Field 9:	SPEC_UNIT		. 11 1	- 1 C1 1 T C
Description:	Specialty Un Bill or Reven	its in which most days during sta	ay occurred based on	number of days by Type of
Coding Scheme:		l SPEC UNIT 1		
Beginning Position:	30	Data Source:		
Length:	1	Type:	Alphanumeric	
		V \$	*	

DSHS/THCIC
www.dshs.state.tx.us/THCIC

Page 11

DSHS Document # E25-14163

Last Updated: March, 2017

Coding Scheme: Same Beginning Position: 31 Length: 1 Field 11: PAT Description: State Posta Coding Scheme: AR LA	or Revenue Code. e as field SPEC_UNIT_1 Data Source Type:	e: Alphanumeric exas and contiguous states. Standard 2-character
Beginning Position: 31 Length: 1 Field 11: PAT Description: State Posta Coding Scheme: AR LA NM OK TX ZZ FC	Data Source Type: _STATE of the patient's mailing address in Tall Service abbreviation. Arkansas Louisiana New Mexico Oklahoma	Alphanumeric
Length: 1 Field 11: PAT Description: State Posta Coding Scheme: AR LA NM OK TX ZZ FC	Type: _STATE of the patient's mailing address in Tall Service abbreviation. Arkansas Louisiana New Mexico Oklahoma	Alphanumeric
Field 11: PAT Description: State Posta Coding Scheme: AR LA NM OK TX ZZ FC	_STATE of the patient's mailing address in T il Service abbreviation. Arkansas Louisiana New Mexico Oklahoma	•
Description: State Posts Coding Scheme: AR LA NM OK TX ZZ FC	of the patient's mailing address in T il Service abbreviation. Arkansas Louisiana New Mexico Oklahoma	exas and contiguous states. Standard 2-character
Posta AR LA NM OK TX ZZ FC	al Service abbreviation. Arkansas Louisiana New Mexico Oklahoma	exas and contiguous states. Standard 2-character
Coding Scheme: AR LA NM OK TX ZZ FC	Arkansas Louisiana New Mexico Oklahoma	
LA NM OK TX ZZ FC	Louisiana New Mexico Oklahoma	
NM OK TX ZZ FC	New Mexico Oklahoma	
OK TX ZZ FC	Oklahoma	
TX ZZ FC		
ZZ FC	1 exas	
FC	All other states and American Territories	
	Foreign country	
	Foreign country	
Beginning Position: 32	Data Source	e: Claim
Length: 2	Type:	Alphanumeric
	ZIP	•
	nt's five-digit ZIP code.	
_	e e	s fewer than 30 discharges. If state equals 'ZZ', ZIP
		(foreign country) ZIP code is blank. If ICD-10-CM

particular gender, including 'unknown', the ZIP Code is blank. **Beginning Position:** 34 **Data Source:** Claim Length:

Type: Alphanumeric

PAT_COUNTRY Field 13:

Description: Country of patient's residential address. List maintained by the International Organization for

Standardization (ISO).

Suppression: Suppressed if fewer than 5 patients from one country.

Coding scheme: See www.ISO.org for complete list.

Coung scheme.	DCC W	WW.150.018 101	complet	C 115t.				
Beginning Position:	39		I	Data Source:	Claim			
Length:	2		7	Гуре:	Alphar	numeric		
Field 14:	PAT	COUNTY						
Description:		code of patient'	's county.					
Coding scheme:	001	Anderson	129	Donley	257	Kaufman	385	Real
coung seneme.	003	Andrews	131	Duval	259	Kendall	387	Red River
	005	Angelina	133	Eastland	261	Kenedy	389	Reeves
	007	Aransas	135	Ector	263	Kent	391	Refugio
	009	Archer	137	Edwards	265	Kerr	393	Roberts
	011	Armstrong	139	Ellis	267	Kimble	395	Robertson
	013	Atascosa	141	El Paso	269	King	397	Rockwall
	015	Austin	143	Erath	271	Kinney	399	Runnels
	017	Bailey	145	Falls	273	Kleberg	401	Rusk
	019	Bandera	147	Fannin	275	Knox	403	Sabine
	021	Bastrop	149	Fayette	283	La Salle	405	San Augustine
	023	Baylor	151	Fisher	277	Lamar	407	San Jacinto
	025	Bee	153	Floyd	279	Lamb	409	San Patricio
	027	Bell	155	Foard	281	Lampasas	411	San Saba
	029	Bexar	157	Fort Bend	285	Lavaca	413	Schleicher
	031	Blanco	159	Franklin	287	Lee	415	Scurry
	033	Borden	161	Freestone	289	Leon	417	Shackelford
	035	Bosque	163	Frio	291	Liberty	419	Shelby
	037	Bowie	165	Gaines	293	Limestone	421	Sherman
	039	Brazoria	167	Galveston	295	Lipscomb	423	Smith
	041	Brazos	169	Garza	297	Live Oak	425	Somervell
	043	Brewster	171	Gillespie	299	Llano	427	Starr
	045	Briscoe	173	Glasscock	301	Loving	429	Stephens
	047	Brooks	175	Goliad	303	Lubbock	431	Sterling
	049	Brown	177	Gonzales	305	Lynn	433	Stonewall
	051	Burleson	179	Gray	307	McCulloch	435	Sutton
	053	Burnet	181	Grayson	309	McLennan	437	Swisher

DSHS/THCIC DSHS Document # E25-14163 Page 12 www.dshs.state.tx.us/THCIC Last Updated: March, 2017

055	Caldwell	183	Gregg	311	McMullen	439	Tarrant
057	Calhoun	185	Grimes	313	Madison	441	Taylor
059	Callahan	187	Guadalupe	315	Marion	443	Terrell
061	Cameron	189	Hale	317	Martin	445	Terry
063	Camp	191	Hall	319	Mason	447	Throckmorton
065	Carson	193	Hamilton	321	Matagorda	449	Titus
067	Cass	195	Hansford	323	Maverick	451	Tom Green
069	Castro	197	Hardeman	325	Medina	453	Travis
071	Chambers	199	Hardin	327	Menard	455	Trinity
073	Cherokee	201	Harris	329	Midland	457	Tyler
075	Childress	203	Harrison	331	Milam	459	Upshur
077	Clay	205	Hartley	333	Mills	461	Upton
079	Cochran	207	Haskell	335	Mitchell	463	Ûvalde
081	Coke	209	Hays	337	Montague	465	Val Verde
083	Coleman	211	Hemphill	339	Montgomery	467	Van Zandt
085	Collin	213	Henderson	341	Moore	469	Victoria
087	Collingsworth	215	Hidalgo	343	Morris	471	Walker
089	Colorado	217	Hill	345	Motley	473	Waller
091	Comal	219	Hockley	347	Nacogdoches	475	Ward
093	Comanche	221	Hood	349	Navarro	477	Washington
095	Concho	223	Hopkins	351	Newton	479	Webb
097	Cooke	225	Houston	353	Nolan	481	Wharton
099	Coryell	227	Howard	355	Nueces	483	Wheeler
101	Cottle	229	Hudspeth	357	Ochiltree	485	Wichita
103	Crane	231	Hunt	359	Oldham	487	Wilbarger
105	Crockett	233	Hutchinson	361	Orange	489	Willacy
107	Crosby	235	Irion	363	Palo Pinto	491	Williamson
109	Culberson	237	Jack	365	Panola	493	Wilson
111	Dallam	239	Jackson	367	Parker	495	Winkler
113	Dallas	241	Jasper	369	Parmer	497	Wise
115	Dawson	243	Jeff Davis	371	Pecos	499	Wood
117	Deaf Smith	245	Jefferson	373	Polk	501	Yoakum
119	Delta	247	Jim Hogg	375	Potter	503	Young
121	Denton	249	Jim Wells	377	Presidio	505	Zapata
123	Dewitt	251	Johnson	379	Rains	507	Zavala
125	Dickens	253	Jones	381	Randall		
127	Dimmit	255	Karnes	383	Reagan	`	Invalid
41			Data Source:	Assign	ed; based on patier	nt ZIP	code

Beginning Position: Length:

Type: Alphanumeric

Field 15: PUBLIC HEALTH REGION

Description:

Public Health Region of patient's address.

- 1 Armstrong, Bailey, Briscoe, Carson, Castro, Childress, Cochran, Collingsworth, Crosby, Dallam, Deaf Smith, Dickens, Donley, Floyd, Garza, Gray, Hale, Hall, Hansford, Hartley, Hemphill, Hockley, Hutchinson, King, Lamb, Lipscomb, Lubbock, Lynn, Moore, Motley, Ochiltree, Oldham, Parmer, Potter, Randall, Roberts, Sherman, Swisher, Terry, Wheeler, Yoakum counties
- 2 Archer, Baylor, Brown, Callahan, Clay, Coleman, Comanche, Cottle, Eastland, Fisher, Foard, Hardeman, Haskell, Jack, Jones, Kent, Knox, Mitchell, Montague, Nolan, Runnels, Scurry, Shackleford, Stephens, Stonewall, Taylor, Throckmorton, Wichita, Wilbarger, Young counties
- 3 Collin, Cooke, Dallas, Denton, Ellis, Erath, Fannin, Grayson, Hood, Hunt, Johnson, Kaufman, Navarro, Palo Pinto, Parker, Rockwall, Somervell, Tarrant, Wise counties
- 4 Anderson, Bowie, Camp, Cass, Cherokee, Delta, Franklin, Gregg, Harrison, Henderson, Hopkins, Lamar, Marion, Morris, Panola, Rains, Red River, Rusk, Smith, Titus, Upshur, Van Zandt, Wood counties
- 5 Angelina, Hardin, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Polk, Sabine, San Augustine, San Jacinto, Shelby, Trinity, Tyler counties
- 6 Austin, Brazoria, Chambers, Colorado, Fort Bend, Galveston, Harris, Liberty, Matagorda, Montgomery, Walker, Waller, Wharton counties
- Bastrop, Bell, Blanco, Bosque, Brazos, Burleson, Burnet, Caldwell, Coryell, Falls, Fayette, Freestone, Grimes, Hamilton, Hays, Hill, Lampasas, Lee, Leon, Limestone, Llano, McLennan, Madison, Milam, Mills, Robertson, San Saba, Travis, Washington, Williamson counties
- 8 Atascosa, Bandera, Bexar, Calhoun, Comal, DeWitt, Dimmit, Edwards, Frio, Gillespie, Goliad, Gonzales, Guadalupe, Jackson, Karnes, Kendall, Kerr, Kinney, La Salle, Lavaca, Maverick, Medina, Real, Uvalde, Val Verde, Victoria, Wilson, Zavala counties
- 9 Andrews, Borden, Coke, Concho, Crane, Crockett, Dawson, Ector, Gaines, Glasscock, Howard, Irion, Kimble, Loving, McCulloch, Martin, Mason, Menard, Midland, Pecos, Reagan, Reeves, Schleicher, Sterling, Sutton, Terrell, Tom Green, Upton, Ward, Winkler counties
- 10 Brewster, Culberson, El Paso, Hudspeth, Jeff Davis, Presidio counties
- Aransas, Bee, Brooks, Cameron, Duval, Hidalgo, Jim Hogg, Jim Wells, Kenedy, Kleberg, Live Oak,
 McMullen, Nueces, Refugio, San Patricio, Starr, Webb, Willacy, Zapata counties
 Invalid

Beginning Position: 4

Data Source: Assigned

DSHS/THCIC

www.dshs.state.tx.us/THCIC

Page 13

DSHS Document # E25-14163

Last Updated: March, 2017

Length: 2 Type: Alphanumeric PAT STATUS Field 16: **Description:** Code indicating patient status as of the ending date of service for the period of care reported Discharged to home or self-care (routine discharge) **Coding Scheme:** Discharged to other short term general hospital Discharged to skilled nursing facility 3 4 Discharged to intermediate care facility 5 Discharged/transferred to a Designated Cancer Center or Children's Hospital (effective 10-1-2007) 6 Discharged to care of home health service Left against medical advice 8 Discharged to care of Home IV provider Admitted as inpatient to this hospital 20 Expired 21 Discharged/transferred to Court/Law Enforcement 30 Still patient 40 Expired at home Expired in a medical facility 41 42 Expired, place unknown 43 Discharged/transferred to federal health care facility 50 Discharged to hospice-home Discharged to hospice-medical facility 51 61 Discharged/transferred within this institution to Medicare-approved swing bed Discharged/transferred to inpatient rehabilitation facility 62 63 Discharged/transferred to Medicare-certified long term care hospital Discharged/transferred to Medicaid-certified nursing facility 64 65 Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital Discharged/transferred to Critical Access Hospital (CAH) 66 69 Discharged/Transferred to a designated disaster alternate care (effective 10-1-2013) 70 Discharge/transfer to another type of health care institution not defined elsewhere in the code list 71 Discharged/transferred to other outpatient service 72 Discharged/transferred to institution outpatient Discharged to Home or Self Care with a Planned Acute. Care Hospital Inpatient Readmission (effective 10-1-81 Discharged/Transferred to a Short Term General Hospital for Inpatient Care with a Planned Acute Care 82 Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to a Skilled Nursing Facility (SNF) with Medicare Certification with a Planned Acute 83 Care Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to a Facility that Provides Custodial or Supportive Care with a Planned Acute Care 84 Hospital Inpatient Readmission (effective 10-1-2013) Discharged/transferred to a Designated Cancer Center or Children's Hospital with a Planned Acute Care 85 Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to Home under Care of Organized Home Health Service Organization with a Planned 86 Acute Care Hospital Inpatient Readmission (effective 10-1-2013) 87 Discharged/Transferred to Court/Law Enforcement with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) 88 Discharged/Transferred to a Federal Health Care Facility with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to a Hospital-based Medicare Approved Swing Bed with a Planned Acute Care 89 Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to an Inpatient Rehabilitation Facility (IRF) including Rehabilitation Distinct Part 90 Units of a Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to a Medicare Certified Long Term Care Hospital (LTCH) with a Planned Acute Care 91 Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to a Nursing Facility Certified Under Medicaid but not Certified Under Medicare with 92 a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) Discharged/Transferred to a Psychiatric Hospital or Psychiatric Distinct Part Unit of a Hospital with a Planned 93 Acute Care Hospital Inpatient Readmission (effective 10-1-2013) 94 Discharged/Transferred To a Critical Access Hospital (CAR) with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) 95 Discharged/Transferred to Another Type of Health Care Institution not Defined Elsewhere in this Code List with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) Invalid **Data Source: Beginning Position:** 46 Claim

Field 17: SEX CODE

Length:

Description: Gender of the patient as recorded at date of admission or start of care.

Type:

Alphanumeric

Suppression:	Code is suppressed if an I	CD-10-CM code in	dicates drug or alcohol use or an HIV diagnosis. If
Suppression.			cular gender, including unknown, Provider ID is
			Code are blank for those patients.
Coding Scheme:	M Male		1
ğ	F Female		
	U Unknown ` Invalid		
Beginning Position:	48	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 18:	RACE	V 4	•
Description:	Code indicating the patien	t's race.	
Suppression:	If a hospital has fewer than	n ten patients of on	e race that race is changed to 'Other' (code equals 5).
Coding Scheme:	1 American Indian/Eskimo		
	2 Asian or Pacific Islander3 Black	r	
	4 White		
	5 Other		
Doginaing Dogitions	` Invalid 49	Data Source:	Claim
Beginning Position: Length:	1	Type:	Alphanumeric
Field 19:	ETHNICITY	Type.	Alphanumenc
Description:	Code indicating the Hispan	nic origin of the na	tient
Suppression:			e race the ethnicity of patients of that race is
Suppression.	suppressed (code is blank).	n ten patients of on	e race the eliminary of patients of that race is
Coding Scheme:	1 Hispanic Origin		
coung senemer	2 Not of Hispanic Origin		
D D	` Invalid	T	Cl. '
Beginning Position:	50	Data Source:	Claim
Length:	1	Type:	Alphanumeric
Field 20:	ADMIT_WEEKDAY Code indicating day of we	als nationt is admit	tod
Description: Coding Scheme:	1 Monday	ek patient is admit	5 Friday
Coung Scheme.	2 Tuesday		6 Saturday
	3 Wednesday		7 Sunday
Beginning Position:	4 Thursday 51	Data Source:	` Invalid Assigned
Length:	1	Type:	Alphanumeric
Field 21:	LENGTH OF STAY	турс.	тиришишене
Description:	<u> </u>	uals Statement cove	ers period through date <i>minus</i> Admission/start of
Description.			ay. The maximum is 9999 days.
Beginning Position:	52	Data Source:	Calculated
Length:	4	Type:	Alphanumeric
Field 22:	PAT AGE	• •	•
Description:	Code indicating age of pat	tient in days or year	rs on date of discharge.
Coding Scheme:	00 1-28 days	10 35-39	20 85-89
	01 29-365 days 02 1-4 years	11 40-44 12 45-49	21 90+ HIV and drug/alcohol use patients:
	03 5-9	13 50-54	22 0-17
	04 10-14	14 55-59	23 18-44
	05 15-17	15 60-64	24 45-64
	06 18-19 07 20-24	16 65-69 17 70-74	25 65-74 26 75+
	08 25-29	18 75-79	` Invalid
	09 30-34	19 80-84	
Beginning Position:	56	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 23:	FIRST_PAYMENT_SRO		
Description:	Code indicating the expect		
Coding Scheme:	09 Self Pay (Removed from beginning 2Q2012 data)	n 5010 format, use "ZZ"	' HM Health Maintenance Organization
	10 Central Certification		LI Liability
			•
DSHS/THCIC		— Page 15 —	DSHS Document # E25-14163

www.dshs.state.tx.us/THCIC

	11 Other Non-federal Program		LM Liability	
	12 Preferred Provider Organiz 13 Point of Service (POS)	ration (PPO)	MA Medicare MB Medicare	
	14 Exclusive Provider Organiz	zation (EPO)	MC Medicaid	
	15 Indemnity Insurance	Euron (Ero)	TV Title V	
	16 Health Maintenance Organ Medicare Risk	ization (HMO)	OF Other Fed	deral Program
	AM Automobile Medical			Administration Plan
	BL Blue Cross/Blue Shield			Compensation Health Claim
	CH CHAMPUS CI Commercial Insurance			ndigent or Unknown and ZZ, combined for 2004 & 2005
	DS Disability Insurance		` Invalid	and 22, combined for 200 f & 2005
Beginning Position:	58	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 24:	SECONDARY PAYMEN		7 iipiiaiiaiiieiie	
Description:	Code indicating the expected		ce of payment.	
Coding Scheme:	Same as field FIRST PAYN		1 3	
Beginning Position:	60	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 25:	TYPE OF BILL		•	
Description:	Indicates the specific type of	f bill		
Coding Scheme:	1st digit–Type of Facility	2 nd digit–Type		3 rd digit–Sequence of claim
	1 Hospital		, including Medicare	0 Non-payment/Zero claim
	2 Skilled nursing	Part A 2 Inpatient	, Medicare Part B only	1 Admit through discharge claim
	3 Home health	3 Outpaties	•	2 Interim–first claim
	4 Religious non-medical health		nt Other, Medicare	3 Interim-continuing claim
	care–Hospital	Part B or	nly liate Care–Level I	4 7
	5 Religious non-medical health care—Extended care	5 Intermed	nate Care–Level I	4 Interim–last claim
	6 Intermediate care	6 Intermed	iate Care–Level II	5 Late charge(s) only claim
	7 Clinic	7 Sub-acut	e inpatient – Level III	6 Adjustment of prior claim (Not
	8 Special facility	8 Swing be	ed.	used by Medicare) Replacement of prior claim
	o special facility	o swing or		8 Void/cancel of prior claim
Beginning Position:	62	Data Source:	Claim	
Length:	3	Type:	Alphanumeric	
Field 26:	TOTAL_CHARGES			
Description:				harges, ancillary charges, non-
D D	covered ancillary charges. R			
Beginning Position:	65	Data Source:	Claim	
Length:	12	Type:	Numeric	
Field 27:	TOTAL_NON_COV_CHA		. 1 "	11 - 1
Description:	Sum of non-covered accomm			nary charges.
Beginning Position:	77 12	Data Source:	Claim Numeric	
Length: Field 28:	TOTAL CHARGES ACC	Type:	Numeric	
Description:	Sum of covered and non-cov		ation charges	
Beginning Position:	89	Data Source:	Claim	
Length:	12	Type:	Numeric	
Field 29:	TOTAL NON COV CHA			
Description:	Sum of non-covered accomm			
Beginning Position:	101	Data Source:	Claim	
Length:	12	Type:	Numeric	
Field 30:	TOTAL CHARGES AND			
Description:	Sum of covered and non-cov		harges.	
Beginning Position:	113	Data Source:	Claim	
Length:	12	Type:	Numeric	
Field 31:	TOTAL_NON_COV_CHA			
Description:	Sum of non-covered ancillar	y charges.		
DSUS/TUCIC				DSHS Dogument # E25 14162
DSHS/THCIC www.dshs.state.tx.us/	THCIC	— Page 16 —		DSHS Document # E25-14163
www.usiis.state.tx.us/	HICIC	_		Last Updated: March, 2017

Beginning Position: 125 **Data Source:** Claim Length: 12 Type: Numeric Field 32: ADMITTING DIAGNOSIS ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** implied following the third character. **Data Source:** 137 **Beginning Position:** Claim Length: Alphanumeric Field 33: PRINC DIAG CODE ICD-10-CM diagnosis code for the principal diagnosis, including the 4th, 5th, 6th and 7th digits **Description:** if applicable. Decimal is implied following the third character. **Beginning Position:** 144 **Data Source:** Claim Alphanumeric Length: Type: Field 34: POA PRINC DIAG CODE **Description:** Code identifying whether Principal Diagnonsis code was present at the time the patient was admitted to the hospital Yes **Coding Scheme:** N Nο U Unknown W Clinically Undetermined Space (1st & 2nd Qtr 2012 only) Invalid **Beginning Position:** 151 **Data Source:** Claim Alphanumeric Length: Type: OTH DIAG CODE 1 Field 35: **Description:** ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. **Beginning Position:** 152 **Data Source:** Claim Alphanumeric Length: Type: Field 36: POA OTH DIAG CODE 1 Code identifying whether Oth Diag Code 1 code was present at the time the patient was **Description:** admitted to the hospital Same as Field POA_PRINC_DIAG_CODE **Coding Scheme: Beginning Position:** 159 **Data Source:** Claim Length: Alphanumeric Type: Field 37: OTH DIAG CODE 2 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** implied following the third character. 160 **Beginning Position: Data Source:** Claim Length: Type: Alphanumeric Field 38: POA OTH DIAG CODE 2 Code identifying whether Oth Diag Code 2 code was present at the time the patient was **Description:** admitted to the hospital Same as Field POA_PRINC_DIAG_CODE **Coding Scheme: Beginning Position:** 167 **Data Source:** Claim Length: Type: Alphanumeric OTH DIAG CODE 3 Field 39: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:** implied following the third character. **Beginning Position:** 168 **Data Source:** Claim Length: Alphanumeric Type: POA OTH DIAG CODE 3 Field 40: Code identifying whether Oth Diag Code 3 code was present at the time the patient was **Description:** admitted to the hospital **Coding Scheme:** Same as Field POA PRINC DIAG CODE **Beginning Position:** 175 **Data Source:** Claim Length: Type: Alphanumeric OTH DIAG CODE 4 Field 41: DSHS/THCIC DSHS Document # E25-14163 Page 17

Last Updated: March, 2017

www.dshs.state.tx.us/THCIC

implied following the third character.

Beginning Position: 176 **Data Source:** Claim

Length: Type: Alphanumeric

Field 42: POA OTH DIAG CODE 4

Description: Code identifying whether Oth Diag Code 4 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: Data Source: 183 Claim

Alphanumeric Length: Type:

OTH DIAG CODE 5 Field 43:

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

implied following the third character.

Beginning Position: 184 **Data Source:** Claim

Alphanumeric Length: 7 Type:

POA OTH DIAG CODE 5 Field 44:

Code identifying whether Oth Diag Code 5 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: Data Source: 191 Claim

Alphanumeric Length: Type:

OTH DIAG CODE 6 Field 45:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 192 **Data Source:** Claim

Length: Type: Alphanumeric

Field 46: POA OTH DIAG CODE 6

Code identifying whether Oth Diag Code 6 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: 199 Data Source: Claim

Length: Alphanumeric Type:

OTH DIAG CODE 7 Field 47:

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

Claim

Claim

implied following the third character.

Beginning Position: 200 **Data Source:**

Length: Type: Alphanumeric

POA OTH DIAG CODE 7 Field 48:

Code identifying whether Oth Diag Code 7 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: 207 **Data Source:** Claim

Length: Alphanumeric Type:

Field 49: OTH DIAG CODE 8

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

implied following the third character.

Beginning Position: Data Source: Length:

Alphanumeric Type:

Field 50: POA OTH DIAG CODE 8

208

Code identifying whether Oth_Diag_Code_8 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

215 **Data Source: Beginning Position:** Claim

Length: Alphanumeric Type:

OTH DIAG CODE 9 Field 51:

DSHS/THCIC DSHS Document # E25-14163 Page 18 Last Updated: March, 2017

implied following the third character.

Beginning Position: 216 **Data Source:** Claim Length: Type: Alphanumeric

Field 52: POA OTH DIAG CODE 9

Description: Code identifying whether Oth Diag Code 9 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: Data Source: 223 Claim

Alphanumeric Length: Type:

OTH DIAG CODE 10 Field 53:

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

implied following the third character.

Beginning Position: 224 **Data Source:** Claim

Alphanumeric Length: Type:

POA OTH DIAG CODE 10 Field 54:

Code identifying whether Oth Diag Code 10 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: 231 **Data Source:** Claim

Alphanumeric Length: Type:

OTH DIAG CODE 11 Field 55:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 232 **Data Source:** Claim

Length: Type: Alphanumeric

Field 56: POA OTH DIAG CODE 11

Code identifying whether Oth Diag Code 11 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: 239 Data Source: Claim

Length: Alphanumeric Type:

OTH DIAG CODE 12 Field 57:

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

Claim

Claim

implied following the third character.

Beginning Position: 240 **Data Source:**

Length: Type: Alphanumeric

POA OTH DIAG CODE 12 Field 58:

Code identifying whether Oth Diag Code 12 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: 247 **Data Source:** Claim

Length: Alphanumeric Type:

Field 59: OTH DIAG CODE 13

248

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

implied following the third character.

Beginning Position: Data Source: Length:

Alphanumeric Type:

Field 60: POA OTH DIAG CODE 13

Code identifying whether Oth Diag Code 13 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

255 **Data Source:** Claim **Beginning Position:**

Length: Alphanumeric Type:

Field 61: OTH DIAG CODE 14

DSHS/THCIC DSHS Document # E25-14163

implied following the third character.

Beginning Position: 256 **Data Source:** Claim Length: Type: Alphanumeric

POA OTH DIAG CODE 14 Field 62:

Description: Code identifying whether Oth Diag Code 14 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: Data Source: 263 Claim

Alphanumeric Length: Type:

OTH DIAG CODE 15 Field 63:

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

implied following the third character.

Beginning Position: 264 **Data Source:** Claim

Alphanumeric Length: Type:

POA OTH DIAG CODE 15 Field 64:

Code identifying whether Oth Diag Code 15 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: 271 **Data Source:** Claim

Alphanumeric Length: Type:

OTH DIAG CODE 16 Field 65:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 272 **Data Source:** Claim

Length: Type: Alphanumeric

Field 66: POA OTH DIAG CODE 16

Code identifying whether Oth Diag Code 16 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: 279 Data Source: Claim

Length: Alphanumeric Type:

OTH DIAG CODE 17 Field 67:

280

Beginning Position:

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

Data Source:

Claim

Claim

implied following the third character.

Length: Type: Alphanumeric

POA OTH DIAG CODE 17 Field 68:

Code identifying whether Oth Diag Code 17 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: 287 **Data Source:** Claim

Length: Alphanumeric Type:

Field 69: OTH DIAG CODE 18

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

implied following the third character.

Beginning Position: 288 **Data Source:**

Length: Alphanumeric Type:

Field 70: POA OTH DIAG CODE 18

Code identifying whether Oth Diag Code 18 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

295 **Beginning Position: Data Source:** Claim

Length: Alphanumeric Type:

Field 71: OTH DIAG CODE 19

DSHS/THCIC DSHS Document # E25-14163 Page 20

implied following the third character.

Beginning Position: 296 **Data Source:** Claim

Length: Type: Alphanumeric

Field 72: POA OTH DIAG CODE 19

Code identifying whether Oth Diag Code 19 code was present at the time the patient was **Description:**

admitted to the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: Data Source: 303 Claim

Alphanumeric Length: Type:

OTH DIAG CODE 20 Field 73:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

304 **Beginning Position: Data Source:** Claim

Alphanumeric Length: Type:

POA OTH DIAG CODE 20 Field 74:

Code identifying whether Oth Diag Code 20 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: Data Source: 311 Claim

Alphanumeric Length: Type:

OTH DIAG CODE 21 Field 75:

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 312 **Data Source:** Claim

Length: Type: Alphanumeric

Field 76: POA OTH DIAG CODE 21

Code identifying whether Oth Diag Code 21 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: 319 Data Source: Claim

Length: Alphanumeric Type:

OTH DIAG CODE 22 Field 77:

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

Claim

Claim

implied following the third character.

Beginning Position: 320 **Data Source:**

Length: Type: Alphanumeric

POA OTH DIAG CODE 22 Field 78:

Code identifying whether Oth_Diag_Code_22 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

Beginning Position: 327 **Data Source:** Claim

Length: Alphanumeric Type:

Field $\overline{79}$: OTH DIAG CODE 23

ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is **Description:**

implied following the third character.

Beginning Position: 328 **Data Source:** Length:

Alphanumeric Type:

Field 80: POA OTH DIAG CODE 23

Code identifying whether Oth Diag Code 23 code was present at the time the patient was **Description:**

admitted to the hospital

Same as Field POA PRINC DIAG CODE **Coding Scheme:**

335 **Data Source: Beginning Position:** Claim

Length: Alphanumeric Type:

Field 81: OTH DIAG CODE 24

DSHS/THCIC DSHS Document # E25-14163 Last Updated: March, 2017

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is

implied following the third character.

Beginning Position: 336

Data Source: Claim

Times: Alphanyum

Length: 7 Type: Alphanumeric

Field 82: POA_OTH_DIAG_CODE_24

Description: Code identifying whether Oth Diag Code 24 code was present at the time the patient was

admitted to the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 343 **Data Source:** Claim

Length: 1 Type: Alphanumeric

Field 83: E CODE 1

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of the

primary external cause of injury. A decimal is implied following the third character.

Beginning Position: 344 Data Source: Claim

Length: 7 Type: Alphanumeric

Field 84: POA_E CODE 1

Description: Code identifying whether E Code 1 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 351 **Data Source:** Claim

Length: 1 Type: Alphanumeric

Field 85: E CODE 2

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of injury. Decimal is implied following the third character.

Beginning Position: 352 **Data Source:** Claim

Length: 7 Type: Alphanumeric

Field 86: POA E CODE 2

Description: Code identifying whether E Code 2 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 359 **Data Source:** Claim

Length: 1 Type: Alphanumeric

Field 87: E CODE 3

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of injury. Decimal is implied following the third character.

Beginning Position: 360 **Data Source:** Claim

Length: 7 Type: Alphanumeric

Field 88: POA E CODE 3

Description: Code identifying whether E_Code_3 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 367 **Data Source:** Claim

Length: 1 Type: Alphanumeric

Field 89: E_CODE_4

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of injury. Decimal is implied following the third character.

Beginning Position: 368 **Data Source:** Claim

Length: 7 Type: Alphanumeric

Field 90: POA E CODE 4

Description: Code identifying whether E Code 4 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 375 **Data Source:** Claim

Length: 1 Type: Alphanumeric

Field 91: E_CODE_5

DSHS/THCIC
www.dshs.state.tx.us/THCIC

Page 22

DSHS Document # E25-14163

Last Updated: March, 2017

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of injury. Decimal is implied following the third character.

Beginning Position: 376 **Data Source:** Claim

Length: 7 Type: Alphanumeric

Field 92: POA E CODE 5

Description: Code identifying whether E Code 5 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 383 **Data Source:** Claim

Length: 1 Type: Alphanumeric

Field 93: E CODE 6

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of injury. Decimal is implied following the third character.

Beginning Position: 384 **Data Source:** Claim

Length: 7 Type: Alphanumeric

Field 94: POA E CODE 6

Description: Code identifying whether E Code 6 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 391 Data Source: Claim

Length: 1 Type: Alphanumeric

Field 95: E CODE 7

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of injury. Decimal is implied following the third character.

Beginning Position: 392 **Data Source:** Claim

Length: 7 Type: Alphanumeric

Field 96: POA E CODE 7

Description: Code identifying whether E Code 7 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 399 **Data Source:** Claim

Length: 1 Type: Alphanumeric

Field 97: E CODE 8

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of injury. Decimal is implied following the third character.

Beginning Position: 400 **Data Source:** Claim

Length: 7 Type: Alphanumeric

Field 98: POA E CODE 8

Description: Code identifying whether E_Code_8 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 407 **Data Source:** Claim

Length: 1 Type: Alphanumeric

Field 99: E CODE 9

Description: ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable, of an

additional external cause of injury. Decimal is implied following the third character.

Beginning Position: 408 Data Source: Claim

Length: 7 Type: Alphanumeric

Field 100: POA E CODE 9

Description: Code identifying whether E Code 9 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA_PRINC_DIAG_CODE

Beginning Position: 415 Data Source: Claim

Length: 1 Type: Alphanumeric

Field 101: **E_CODE_10**

DSHS/THCIC DSHS Document # E25-14163 www.dshs.state.tx.us/THCIC Page 23 Last Updated: March, 2017

additional external cause of injury. Decimal is implied following the third character.

Beginning Position: 416 **Data Source:** Claim

Length: Alphanumeric Type:

Field 102: POA E CODE 10

Description: Code identifying whether E Code 10 code was present at the time the patient was admitted to

the hospital

Coding Scheme: Same as Field POA PRINC DIAG CODE

Beginning Position: 423 **Data Source:** Claim

Alphanumeric Length: Type:

PRINC SURG PROC CODE **Field 103:**

Description: Code for the principal surgical or other procedure performed during the period covered by the

bill. ICD-10-PCS code.

Beginning Position: 424 **Data Source:** Claim

Alphanumeric Length: 7 Type:

Field 104: PRINC SURG PROC DAY

Day of principal surgical or other procedure equals Principal Surgical Procedure Date minus **Description:**

Admission/Start of Care Date

Beginning Position: 431 Calculated **Data Source:** Length: Alphanumeric 4 Type:

Field 105: OTH SURG PROC CODE 1

Code for surgical or other procedure other than the principal procedure performed during the **Description:**

period covered by the bill. ICD-10-PCS code.

Beginning Position: 435 **Data Source:** Claim

Length: Type: Alphanumeric

Field 106: OTH SURG PROC DAY 1

Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

Beginning Position: 442 **Data Source:** Length: Type:

Alphanumeric

Field 107: OTH SURG PROC CODE 2

Code for surgical or other procedure other than the principal procedure performed during the **Description:**

Calculated

Claim

period covered by the bill. ICD-10-PCS code.

Beginning Position: 446 **Data Source:**

Length: Type: Alphanumeric

Field 108: OTH SURG PROC DAY 2

Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

Beginning Position: 453 **Data Source:** Calculated Alphanumeric Length: Type:

Field 109: OTH SURG PROC CODE 3

Description: Code for surgical or other procedure other than the principal procedure performed during the

period covered by the bill. ICD-10-PCS code.

Beginning Position: 457 **Data Source:** Claim

Alphanumeric Length: Type:

Field 110: OTH SURG PROC DAY 3

Description: Day of other surgical or other procedure equals Other Surgical Procedure Date minus

Admission/Start of Care Date

Data Source: Calculated **Beginning Position:** 464 Length: Alphanumeric Type:

OTH SURG PROC CODE 4 **Field 111:**

Code for surgical or other procedure other than the principal procedure performed during the **Description:**

period covered by the bill. ICD-10-PCS code.

468 **Beginning Position: Data Source:** Claim

7 Alphanumeric Length: Type:

DSHS/THCIC DSHS Document # E25-14163 Page 24 www.dshs.state.tx.us/THCIC Last Updated: March, 2017

OTH SURG PROC DAY 4 **Field 112: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date **Beginning Position:** 475 Calculated **Data Source:** Length: Alphanumeric Type: **Field 113:** OTH SURG PROC CODE 5 Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. 479 **Beginning Position: Data Source:** Claim Length: Alphanumeric Type: Field 114: OTH SURG PROC DAY 5 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date **Beginning Position:** 486 **Data Source:** Calculated Length: 4 Type: Alphanumeric **Field 115:** OTH SURG PROC CODE 6 Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position:** 490 **Data Source:** Claim Length: Type: Alphanumeric **Field 116:** OTH SURG PROC DAY 6 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date **Beginning Position:** 497 Calculated **Data Source:** Length: 4 Alphanumeric Type: Field 117: OTH SURG PROC CODE 7 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 501 **Data Source:** Claim Length: Alphanumeric Type: OTH SURG PROC DAY 7 **Field 118: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date **Beginning Position:** 508 **Data Source:** Calculated Length: 4 Alphanumeric Type: **Field 119:** OTH SURG PROC CODE 8 Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position:** 512 **Data Source:** Claim Alphanumeric Length: Type: OTH SURG PROC DAY 8 **Field 120:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date Calculated **Beginning Position:** 519 **Data Source:** Length: Alphanumeric Type: OTH SURG PROC CODE 9 **Field 121:** Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. 523 **Beginning Position: Data Source:** Claim Length: Alphanumeric Type: **Field 122:** OTH SURG PROC DAY 9 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Calculated **Beginning Position:** 530 **Data Source:** Length: 4 Type: Alphanumeric

DSHS/THCIC DSHS Document # E25-14163 www.dshs.state.tx.us/THCIC Last Updated: March, 2017

Field 123: OTH SURG PROC CODE 10 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 534 **Data Source:** Claim Length: Alphanumeric Type: **Field 124:** OTH SURG PROC DAY 10 Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 541 **Data Source:** Calculated Length: 4 Alphanumeric Type: OTH SURG PROC_CODE_11 **Field 125:** Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Data Source: Beginning Position:** 545 Claim Length: 7 Type: Alphanumeric OTH SURG PROC DAY 11 **Field 126:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 552 Calculated **Data Source:** Length: 4 Type: Alphanumeric **Field 127:** OTH SURG PROC CODE 12 Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position:** 556 **Data Source:** Claim Length: Type: Alphanumeric **Field 128:** OTH SURG PROC DAY 12 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 563 **Data Source:** Calculated Length: Alphanumeric Type: OTH SURG PROC CODE 13 Field 129: Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position:** 567 **Data Source:** Claim Length: Type: Alphanumeric **Field 130:** OTH SURG PROC DAY 13 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 574 Calculated **Data Source:** Alphanumeric Length: 4 Type: OTH SURG PROC CODE 14 **Field 131:** Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position:** 578 **Data Source:** Claim Length: Type: Alphanumeric **Field 132:** OTH SURG PROC DAY 14 Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. 585 Calculated **Beginning Position: Data Source:** Length: Alphanumeric Type: **Field 133:** OTH SURG PROC CODE 15 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. 589 **Beginning Position: Data Source:** Claim Length: 7 Type: Alphanumeric

DSHS/THCIC
www.dshs.state.tx.us/THCIC

Page 26

DSHS Document # E25-14163
Last Updated: March, 2017

OTH SURG PROC DAY 15 **Field 134: Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Calculated **Beginning Position:** 596 **Data Source:** Length: Alphanumeric Type: **Field 135:** OTH SURG PROC CODE 16 Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. 600 **Beginning Position: Data Source:** Claim Length: 7 Alphanumeric Type: **Field 136:** OTH SURG PROC DAY 16 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 607 **Data Source:** Calculated Length: 4 Type: Alphanumeric **Field 137:** OTH SURG PROC CODE 17 Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position:** 611 **Data Source:** Claim Length: Type: Alphanumeric **Field 138:** OTH SURG PROC DAY 17 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 618 Calculated **Data Source:** Length: 4 Alphanumeric Type: **Field 139:** OTH SURG PROC CODE 18 **Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 622 **Data Source:** Claim Length: Alphanumeric Type: **Field 140:** OTH SURG PROC DAY 18 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 629 **Data Source:** Calculated Length: 4 Type: Alphanumeric Field 141: OTH SURG PROC CODE 19 Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position:** 633 **Data Source:** Claim Alphanumeric Length: Type: OTH SURG PROC DAY 19 **Field 142:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. 640 Calculated **Beginning Position: Data Source:** Length: Alphanumeric Type: Field 143: OTH SURG PROC CODE 20 Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. 644 **Beginning Position: Data Source:** Claim Length: Alphanumeric Type: **Field 144:** OTH SURG PROC DAY 20 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. Calculated **Beginning Position:** 651 **Data Source:** Length: 4 Type: Alphanumeric DSHS/THCIC

Page 27

www.dshs.state.tx.us/THCIC

DSHS Document # E25-14163

Last Updated: March, 2017

OTH SURG PROC CODE 21 **Field 145: Description:** Code for surgical or other procedure other than the principal procedure performed during the period covered by the bill. ICD-10-PCS code. **Beginning Position:** 655 **Data Source:** Claim Length: Alphanumeric Type: **Field 146:** OTH SURG PROC DAY 21 Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** 662 **Data Source:** Calculated Length: 4 Alphanumeric Type: OTH SURG PROC_CODE_22 **Field 147:** Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position:** 666 **Data Source:** Claim Length: 7 Type: Alphanumeric **Field 148:** OTH SURG PROC DAY 22 Day of other surgical or other procedure equals Other Surgical Procedure Date minus **Description:** Admission/Start of Care Date. **Beginning Position:** Calculated 673 **Data Source:** Length: Type: Alphanumeric **Field 149:** OTH SURG PROC CODE 23 Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position:** 677 **Data Source:** Claim Length: Alphanumeric Type: **Field 150:** OTH SURG PROC DAY 23 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 684 **Data Source:** Calculated Length: Alphanumeric Type: OTH SURG PROC CODE 24 **Field 151:** Code for surgical or other procedure other than the principal procedure performed during the **Description:** period covered by the bill. ICD-10-PCS code. **Beginning Position:** 688 **Data Source:** Claim Length: 7 Type: Alphanumeric **Field 152:** OTH SURG PROC DAY 24 **Description:** Day of other surgical or other procedure equals Other Surgical Procedure Date minus Admission/Start of Care Date. **Beginning Position:** 695 Calculated **Data Source:** Length: 4 Type: Alphanumeric **Field 153:** MS MDC Major Diagnostic Category (MDC) as assigned by Centers for Medicare and Medicaid Services **Description:** (CMS) (formerly Health Care Financing Administration (HCFA)) for hospital payment for Medicare beneficiaries. First available 2004. 699 **Beginning Position: Data Source:** Assigned Length: Alphanumeric Type: **Field 154:** MS DRG Centers for Medicare and Medicaid Services (CMS) Diagnosis Related Group (DRG), as **Description:** assigned for hospital payment for Medicare beneficiaries. Assigned **Beginning Position:** 701 **Data Source:** Length: Alphanumeric 3 Type: MS GROUPER VERSION NBR **Field 155:** CMS Medicare Severity Diagnosis Related Grouper (formerly CMS DRG Grouper and **Description:** previously reported as HCFA GROUPER VERSION NBR) version used to assign MS DRG and, MS MDC codes

DSHS/THCIC Page 28 DSHS Document # E25-14163
www.dshs.state.tx.us/THCIC Last Updated: March, 2017

Beginning Position: Length:	704 5		Data Source Type:		ssigned Iphanumeric
Field 156:		GROUPER ERROR		4.1	
Description:		or codes identify potential		th M	S DRG code assignment
Coding Scheme:		- -			DisableHac = 0 and at least one HAC POA is invalid or
coung seneme.	00	No errors. DRG successfully Diagnosis code cannot be use	_	19	exempt DisableHac is invalid and at least one HAC POA is N o
	01	diagnosis		20	U DisableHac is invalid and at least one HAC POA is
	02 03	Record does not meet criteria Invalid Age	for any DRG	21 22	invalid or exempt DisableHac = 0 and at least one HAC POA is exempt
	04	Invalid Sex		23	DisableHac is invalid and at least one HAC POA is
	05	Invalid Discharge Status		24	exempt DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U
	10	Illogical Principal Diagnosis	(CMS only)	25	DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W
	11	Invalid Principal Diagnosis			
Beginning Position:	709		Data Source		ssigned
Length:	2		Type:	Α	lphanumeric
Field 157:	APF	R_MDC			
Description:	Maj	or Diagnostic Category (MDC) as assi	gned	by 3M APR-DRG Grouper.
Beginning Position:	711		Data Source		ssigned
Length:	2		Type:		lphanumeric
Field 158:		R DRG	- J P **		1
			iamosis Dalas	ed C	roup (DRG) as assigned by 3M APR-DRG
Description:	Grou		iagiiosis Kelal	ea G	toup (DKG) as assigned by SWI APK-DKG
Beginning Position:	713		Data Source	: A	ssigned
Length:	4		Type:		Iphanumeric
Field 159:	DIC	K MORTALITY	<i>J</i> 1		*
	RIS	N WICK LALLEY			
Description:			ality score fro	m the	e All Patient Refined (APR) Diagnosis Related
Description:	Assi	gnment of a risk of mort			
-	Assi Gro	gnment of a risk of mort up (DRG) from the 3M A			e All Patient Refined (APR) Diagnosis Related . Indicates the likelihood of dying.
-	Assi Grou	gnment of a risk of mort up (DRG) from the 3M A Minor			
-	Assi Grou 1 2	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate			
-	Assi Grou 1 2 3	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major			
Coding Scheme:	Assi Grou 1 2 3 4	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate	APR-DRG Gro	ouper	. Indicates the likelihood of dying.
Coding Scheme: Beginning Position:	Assi Grov 1 2 3 4 717	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major	APR-DRG Gro Data Source	ouper	ssigned
Coding Scheme: Beginning Position: Length:	Assi Grou 2 3 4 717 1	gment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme	APR-DRG Gro	ouper	. Indicates the likelihood of dying.
Coding Scheme: Beginning Position: Length: Field 160:	Assi Grou 1 2 3 4 717 1 ILL	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY	APR-DRG Gro Data Source Type:	ouper:	. Indicates the likelihood of dying. assigned alphanumeric
Coding Scheme: Beginning Position: Length: Field 160:	Assi Grou 2 3 4 717 1 ILL Assi	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i	Data Source Type:	ouper: A	Assigned alphanumeric (APR) Diagnosis Relate
Coding Scheme: Beginning Position: Length: Field 160:	Assi Grou 2 3 4 717 1 ILL Assi	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i	Data Source Type:	ouper: A	. Indicates the likelihood of dying. assigned alphanumeric
Coding Scheme: Beginning Position: Length: Field 160:	Assi Grou 1 2 3 4 717 1 ILL Assi Grou	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i	Data Source Type:	ouper: A	Assigned alphanumeric (APR) Diagnosis Relate
Coding Scheme: Beginning Position: Length: Field 160: Description:	Assi Grou 1 2 3 4 717 1 ILL Assi Grou	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A	Data Source Type:	ouper: A	Assigned alphanumeric (APR) Diagnosis Relate
Coding Scheme: Beginning Position: Length: Field 160: Description:	Assi Grow 1 2 3 4 717 1 ILL Assi Grow deco	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A ompensation. Minor Moderate	Data Source Type:	ouper: A	. Indicates the likelihood of dying. Assigned Alphanumeric the All Patient Refined (APR) Diagnosis Related
Coding Scheme: Beginning Position: Length: Field 160: Description:	Assi Grow 1 2 3 4 717 1 ILL Assi Grow decc 1 2 3	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A ompensation. Minor Moderate Major	Data Source Type:	ouper: A	Assigned alphanumeric (APR) Diagnosis Relate
Coding Scheme: Beginning Position: Length: Field 160: Description:	Assi Groot 1 2 3 4 717 1 ILL Assi Groot decc 1 2 3 4	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A ompensation. Minor Moderate Major Extreme	Data Source Type:	ouper: A	Assigned alphanumeric the All Patient Refined (APR) Diagnosis Relate
Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme:	Assi Grov 1 2 3 4 717 1 ILL Assi Grov decc 1 2 3 4 0	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A ompensation. Minor Moderate Major	Data Source Type: Ilness score fr	euper A Om tl	Assigned Alphanumeric (APR) Diagnosis Related. Indicates the extent of physiologic
Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme: Beginning Position:	Assi Grow 1 2 3 4 717 1 ILL Assi Grow decc 1 2 3 4 0 718	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A ompensation. Minor Moderate Major Extreme	Data Source Type: Ilness score fr APR-DRG Gro	: A A om tl uper	Assigned Alphanumeric APR) Diagnosis Relate Indicates the extent of physiologic Assigned
Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme: Beginning Position: Length:	Assi Grow 1 2 3 4 4 717 1 ILL Assi Grow decco 1 2 3 4 0 0 718 1	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A ompensation. Minor Moderate Major Extreme No class specified	Data Source Type: Ilness score fr APR-DRG Gro Data Source Type:	: A A om tl uper	Assigned Alphanumeric (APR) Diagnosis Related. Indicates the extent of physiologic
Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme: Beginning Position: Length:	Assi Grow 1 2 3 4 4 717 1 ILL Assi Grow decco 1 2 3 4 0 0 718 1	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A ompensation. Minor Moderate Major Extreme	Data Source Type: Ilness score fr APR-DRG Gro Data Source Type:	: A A om tl uper	Assigned Alphanumeric APR) Diagnosis Relate Indicates the extent of physiologic Assigned
Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme: Beginning Position: Length: Field 161:	Assi Grov 1 2 3 4 717 1 ILL Assi Grov decc 1 2 3 4 0 718 1 APF	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A mpensation. Minor Moderate Major Extreme No class specified R_GROUPER_VERSIO	Data Source Type: llness score fr APR-DRG Gro Data Source Type: DN_NBR	ouper A A Om tl ouper	Assigned Alphanumeric (APR) Diagnosis Relate Indicates the extent of physiologic assigned Assigned Alphanumeric
Description: Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme: Beginning Position: Length: Field 161: Description:	Assi Grou 1 2 3 4 717 1 ILL Assi Grou decc 1 2 3 4 0 718 1 APF 3M	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A ompensation. Minor Moderate Major Extreme No class specified R_GROUPER_VERSIC TM All Patient Refined D	Data Source Type: Uness score from APR-DRG Grown Data Source Type: DN_NBR iagnosis Relation	: A A om tl ouper	Assigned Alphanumeric and Alphanumeric assigned Alphanumeric and All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic assigned Alphanumeric arouper version used to assign APR DRG code.
Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme: Beginning Position: Length: Field 161: Description:	Assi Grou 1 2 3 4 717 1 ILL Assi Grou decc 1 2 3 4 0 718 1 APF 3M' APR	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A ompensation. Minor Moderate Major Extreme No class specified R_GROUPER_VERSIC TM All Patient Refined D	Data Source Type: Uness score from APR-DRG Grown Data Source Type: DN_NBR iagnosis Relatortality rankin	euper A A Om tl Duper A A ed G ggs ar	Assigned Alphanumeric All Patient Refined (APR) Diagnosis Relate Indicates the extent of physiologic Assigned Alphanumeric Assigned Alphanumeric Assigned Alphanumeric Trouper version used to assign APR DRG code and Severity of Illness rankings
Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme: Beginning Position: Length: Field 161: Description: Beginning Position:	Assi Grot 1 2 3 4 717 ILL Assi Grot decc 1 2 3 4 0 718 1 APF 3M APR 719	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A ompensation. Minor Moderate Major Extreme No class specified R_GROUPER_VERSIC TM All Patient Refined D	Data Source Type: Uness score from PR-DRG Grown PR-DRG G	ed G	Assigned Alphanumeric ne All Patient Refined (APR) Diagnosis Relate Indicates the extent of physiologic assigned Alphanumeric rouper version used to assign APR DRG code ad, Severity of Illness rankings assigned
Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme: Beginning Position: Length: Field 161: Description: Beginning Position: Length:	Assi Groot 1 2 3 4 717 1 ILL Assi Groot decc 1 2 3 3 4 0 718 1 APF 3MM APR 719 5	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A ompensation. Minor Moderate Major Extreme No class specified R_GROUPER_VERSIO TM All Patient Refined D R MDC codes, Risk of M	Data Source Type: Uness score from the Properior of the	ed G	Assigned Alphanumeric All Patient Refined (APR) Diagnosis Relate Indicates the extent of physiologic Assigned Alphanumeric Assigned Alphanumeric Assigned Alphanumeric Trouper version used to assign APR DRG code and Severity of Illness rankings
Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme: Beginning Position: Length: Field 161: Description: Beginning Position: Length: Field 162:	Assi Groot 1 2 3 4 4 717 1 ILL Assi Groot decc 1 2 2 3 4 0 718 1 APF 3M APF 719 5	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A mpensation. Minor Moderate Major Extreme No class specified R_GROUPER_VERSION MDC codes, Risk of M R_GROUPER_ERROR	Data Source Type: Uness score fra PR-DRG Gro Data Source Type: DN_NBR iagnosis Relatortality rankir Data Source Type:CODE	ed G gs ar A	Assigned Alphanumeric The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic Assigned Alphanumeric The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic Assigned Alphanumeric The All Patient Refined (APR) Diagnosis Related Alphanumeric The All Patient Refined (APR) Diagnosis R
Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme: Beginning Position: Length: Field 161: Description: Beginning Position: Length: Field 162:	Assi Groot 1 2 3 4 4 717 1 ILL Assi Groot decc 1 2 2 3 4 0 718 1 APF 3M APF 719 5	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A mpensation. Minor Moderate Major Extreme No class specified R_GROUPER_VERSION MDC codes, Risk of M R_GROUPER_ERROR	Data Source Type: Uness score fra PR-DRG Gro Data Source Type: DN_NBR iagnosis Relatortality rankir Data Source Type:CODE	ed G gs ar A	Assigned Alphanumeric The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic Assigned Alphanumeric The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic Assigned Alphanumeric The Tourist Touris
Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme: Beginning Position: Length: Field 161:	Assi Groot 1 2 3 4 4 717 1 ILL Assi Groot decc 1 2 2 3 4 0 718 1 APF 3M APF 719 5	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of it up (DRG) from the 3M A Ompensation. Minor Moderate Major Extreme No class specified R_GROUPER_VERSION All Patient Refined DR MDC codes, Risk of MA COMPER_ERROR or codes identify potential No errors. DRG successfully	Data Source Type: llness score fr APR-DRG Gro Data Source Type: DN_NBR iagnosis Relatortality rankir Data Source Type: CODE ll variations w assigned.	ed G gs ar A A ith A	assigned alphanumeric the All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic assigned alphanumeric to rouper version used to assign APR DRG code and, Severity of Illness rankings assigned alphanumeric
Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme: Beginning Position: Length: Field 161: Description: Beginning Position: Length: Field 162: Description:	Assi Grow 1 2 3 4 717 1 ILL Assi Grow decce 1 2 3 4 0 718 1 APF 3M APF 719 5 APF Erro 00	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A mpensation. Minor Moderate Major Extreme No class specified R_GROUPER_VERSIC TM All Patient Refined D MDC codes, Risk of M R_GROUPER_ERROR or codes identify potentia	Data Source Type: llness score fr APR-DRG Gro Data Source Type: DN_NBR iagnosis Relatortality rankir Data Source Type: CODE ll variations w assigned.	ed G gs ar A A ith A	assigned alphanumeric The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic indicates the
Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme: Beginning Position: Length: Field 161: Description: Beginning Position: Length: Field 162: Description:	Assi Grow 1 2 3 4 717 1 ILL Assi Grow decce 1 2 3 4 0 718 1 APF 3M APF 719 5 APF Erro 00	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of it up (DRG) from the 3M A Ompensation. Minor Moderate Major Extreme No class specified R_GROUPER_VERSION All Patient Refined DR MDC codes, Risk of MA COMPONIES AND	Data Source Type: Ilness score fr APR-DRG Gro Data Source Type: DN_NBR iagnosis Relatortality rankir Data Source Type:CODE Il variations w assigned. 1: ind as 1: ind	ed G gs ar A A	assigned alphanumeric The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic the extent of physiologi
Coding Scheme: Beginning Position: Length: Field 160: Description: Coding Scheme: Beginning Position: Length: Field 161: Description: Beginning Position: Length: Field 162: Description:	Assi Grow 1 2 3 4 717 1 ILL Assi Grow decco 1 2 3 4 0 718 1 APF 719 5 APF Erro 00 01	gnment of a risk of mort up (DRG) from the 3M A Minor Moderate Major Extreme NESS_SEVERITY gnment of a severity of i up (DRG) from the 3M A mpensation. Minor Moderate Major Extreme No class specified R_GROUPER_VERSION TM All Patient Refined D MDC codes, Risk of M R_GROUPER_ERROR OF codes identify potentia No errors. DRG successfully Diagnosis code cannot be use principal diagnosis Record does not meet criteria	Data Source Type: Ilness score fr APR-DRG Gro Data Source Type: DN_NBR iagnosis Relatortality rankir Data Source Type:CODE Il variations w assigned. 1: ind as 1: ind	ed G gs ar A A	assigned alphanumeric The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic assigned alphanumeric The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic assigned alphanumeric The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic assigned alphanumeric The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic The All Patient Refined (APR) Diagnosis Related. Indicates the extent of physiologic the exten

	02 Involid Acc	21	DisableHear is invested and at least one HAC DOA is invested		
	03 Invalid Age	21	DisableHac is invalid and at least one HAC POA is invalid or exempt		
	04 Invalid Sex	22	DisableHac = 0 and at least one HAC POA is exempt		
	05 Invalid Discharge Status	23	DisableHac is invalid and at least one HAC POA is exempt		
	06 Invalid birthweight (AP & AP)	R only) 24	DisableHac = 0 and there are multiple HACs that have		
	09 Invalid discharge age in days (AP & 25	different HAC POA values that are not Y, W, N, U DisableHac is invalid and there are multiple HACs that		
	APR only)	AI & 23	have different HAC POA values that are not Y or W		
	11 Invalid Principal Diagnosis				
Beginning Position:	724	Data Source:	Assigned		
Length:	2	Гуре:	Alphanumeric		
Field 163:	ATTENDING PHYSICIAN UNIF ID				
Description:	Attending Physician Uniform Identifier. Unique identifier assigned to the licensed physician				
•	expected to certify medical necessity of services rendered, with primary responsibility for the				
	patient's medical care and trea	atment. Physici	an is an individual licensed to practice medicine		
	under the Medical Practice Ac	et. Can include	an individual other than a physician who admits		
	patients to hospitals or who pr	ovides diagnos	tic or therapeutic procedures to inpatients,		
	including psychologists, chiro	practors, dentis	ets, nurse practitioners, nurse midwives, and		
	podiatrists authorized by the h	ospital to admi	t or treat patients.		
Suppression:	Suppressed when the number	of physicians re	epresented in a DRG for a hospital is less than the		
• •	minimum cell size of five.		•		
Beginning Position:	726	Data Source:	Assigned		
Length:	10	Гуре:	Alphanumeric		
Field 164:	OPERATING PHYSICIAN	UNIF ID	•		
Description:	Operating or other Physician V	Uniform Identi	fier (if applicable). Unique identifier assigned to		
	the operating physician or phy	sician other that	an the attending physician. Physician is an		
	individual licensed to practice	medicine unde	er the Medical Practice Act. Can include an		
	individual other than a physic	ian who admits	patients to hospitals or who provides diagnostic or		
	therapeutic procedures to inpa	itients, includin	g psychologists, chiropractors, dentists, nurse		
	practitioners, nurse midwives,	and podiatrists	authorized by the hospital to admit or treat		
	patients.				
Suppression:		of physicians re	epresented in a DRG for a hospital is less than the		
	minimum cell size of five.				
Coding Scheme:	999999998 Cell size less th				
D			ber could not be matched		
Beginning Position:		Data Source:	Assigned		
Length:		Гуре:	Alphanumeric		
Field 165:	ENCOUNTER_INDICATO		d		
Description:	Indicates the number of claim				
Beginning Position:		Data Source:	Calculated		
Length:		Type:	Alphanumeric		
Field 166:	PROVIDER_NAME	1 2 1			
Description:	Hospital name provided by the hospital.				
Suppression:	Hospitals with fewer than 50 discharges (Provider ID equals '999999') are assigned the name				
	'Low Discharge Volume Hospital'. If a hospital has fewer than 5 discharges of a particular				
Destant D 10	gender, including 'unknown',	•			
Beginning Position:		Data Source:	Provider		
Length:	55	Гуре:	Alphanumeric		

BASE DATA #2 FILE

Field 1:	RECORD_ID				
Description:		Record Identification Number. Unique number assigned to identify the record. First available			
	1 st quarter 2002. Does NOT	1 st quarter 2002. Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).			
Beginning Position:	1	Data Source:	Assigned		
Length:	12	Type:	Alphanumeric		
Field 2:	PRIVATE_AMOUNT				
Description:			rge Amount. Calculated using MEDPAR		
	algorithm. Sum of charges a		evenue codes 0100-0219, revenue center 11X, 14X		
Beginning Position:	13	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 3:	SEMI_PRIVATE_AMOU	NT			
Description:	Accommodation Charge, Se	mi-private Roon	n Charge Amount. Calculated using MEDPAR		
	algorithm. Sum of charges a	ssociated with re	evenue codes 0100-0219, revenue center 10X, 12X-		
	14X, 16X-19X				
Beginning Position:	25	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 4:	WARD_AMOUNT				
Description:	Accommodation Charge, W	ard Charge Amo	unt. Calculated using MEDPAR algorithm. Sum of		
	charges associated with reve	enue codes 0100-	-0219, revenue center 15X.		
Beginning Position:	37	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 5:	ICU_AMOUNT				
Description:			t Charge Amount. Calculated using MEDPAR		
	algorithm. Sum of charges a	ssociated with re	evenue codes 0100-0219, revenue center 20X.		
Beginning Position:	49	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 6:	CCU_AMOUNT				
Description:			it Charge Amount. Calculated using MEDPAR		
	algorithm. Sum of charges a	ssociated with re	evenue codes 0100-0219, revenue center 21X.		
Beginning Position:	61	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 7:	OTHER_AMOUNT				
Description:			ount. Calculated using MEDPAR algorithm. Sum		
			ner than 0100-0219, revenue center 002-099, 22X-		
	24X, 52X-53X, 55X-60X, 6				
Beginning Position:	73	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 8:	PHARM_AMOUNT				
Description:			Amount. Calculated using MEDPAR algorithm.		
	•	vith revenue code	es other than 0100-0219, revenue center 25X, 26X,		
	and 63X.				
Beginning Position:	85	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 9:	MEDSURG_AMOUNT				
Description:	Ancillary Service Charge, Medical/Surgical Supply Charge Amount. Calculated using				
	MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219,				
.	revenue center 27X, 62X.	-	~		
Beginning Position:	97	Data Source:	Calculated		
Length:	12	Type:	Numeric		
Field 10:	DME_AMOUNT				

DSHS/THCIC
www.dshs.state.tx.us/THCIC

Page 31

DSHS Document # E25-14163
Last Updated: March, 2017

Description:	Ancillary Service Charge, Durable Medical Equipment Charge Amount. Calculated using			
	MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue centers 290-292, 294-299.			
Beginning Position:	109	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 11:	USED DME AMOUNT	турс.	Trumene	
Description:		Jsed Durable Me	dical Equipment Charge Amount. Calculated	
	using MEDPAR algorithm.	Sum of charges a	associated with revenue codes other than 0100-	
	0219, revenue center 293.	_		
Beginning Position:	121	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 12:	PT_AMOUNT	1 1 771	Cl	
Description:			Charge Amount. Calculated using MEDPAR	
	algorithm. Sum of charges a 42X.	issociated with re	evenue codes other than 0100-0219, revenue center	
Beginning Position:	133	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 13:	OT AMOUNT	турс.	Transcrit	
Description:	_	occupational The	rapy Charge Amount. Calculated using MEDPAR	
•			evenue codes other than 0100-0219, revenue center	
	42X.			
Beginning Position:	145	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 14:	SPEECH_AMOUNT	1.5.4.1		
Description:			Charge Amount. Calculated using MEDPAR	
	44X, 47X.	issociated with re	evenue codes other than 0100-0219, revenue center	
Beginning Position:	157	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 15:	IT_AMOUNT			
Description:	Ancillary Service Charge, Inhalation Therapy Charge Amount. Calculated using MEDPAR			
	-	ssociated with re	evenue codes other than 0100-0219, revenue center	
Beginning Position:	41X, 46X. 169	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 16:	BLOOD AMOUNT	турс.	rumone	
Description:		Calculated using N	MEDPAR algorithm. Sum of charges associated	
F	with revenue codes other that			
Beginning Position:	181	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 17:	BLOOD_ADMIN_AMOUNT			
Description:			MEDPAR algorithm. Sum of charges associated	
n n	with revenue codes other than			
Beginning Position:	193 12	Data Source:	Calculated Numeric	
Length: Field 18:	OR AMOUNT	Type:	Numeric	
Description:		nerating Room (Charge amount, Calculated using MEDPAR	
Description.	Ancillary Service Charge, Operating Room Charge amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center			
	36X, 71X-72X.			
Beginning Position:	205	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 19:	LITH_AMOUNT			
Description:	Ancillary Service Charge, Lithotripsy Charge Amount. Calculated using MEDPAR algorithm.			
Designation Design			es other than 0100-0219, revenue center 79X.	
Beginning Position:	217	Data Source:	Calculated	

DSHS/THCIC
www.dshs.state.tx.us/THCIC

Page 32

DSHS Document # E25-14163

Last Updated: March, 2017

Longth	12	Type:	Numeric
Length: Field 20:	CARD AMOUNT	Type:	Numeric
Description:		ardiology Charge	e Amount. Calculated using MEDPAR algorithm.
Description:			es other than 0100-0219, revenue center 48X, 73X.
Beginning Position:	229	Data Source:	Calculated
0 0	12		
Length:		Type:	Numeric
Field 21:	ANES_AMOUNT	41:	A C-11 A MEDDAD -1
Description:			e Amount. Calculated using MEDPAR algorithm. es other than 0100-0219, revenue center 37X.
Beginning Position:	241	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 22:	LAB AMOUNT	туре.	Numeric
Description:		haratam; Charac	e Amount. Calculated using MEDPAR algorithm.
Description:			es other than 0100-0219, revenue center 30X-31X,
	74X-75X.	im revenue code	es other than 0100-0219, revenue center 30X-31X,
Doginning Dogition	253	Data Source:	Calculated
Beginning Position:	12		Numeric
Length: Field 23:	RAD AMOUNT	Type:	Numeric
Description:	_	ndialam: Charga	Amount. Calculated using MEDPAR algorithm.
Description:			es other than 0100-0219, revenue center 28X, 32X-
	35X, 40X.	illi fevenue code	es other than 0100-0219, revenue center 28A, 32A-
Paginning Desitions	265	Data Source:	Calculated
Beginning Position:	12		Numeric
Length: Field 24:	MRI AMOUNT	Type:	Numeric
	_	DI Charga Ama	unt Calculated using MEDDAD algorithm Sum of
Description:			unt. Calculated using MEDPAR algorithm. Sum of than 0100-0219, revenue center 61X.
Paginning Desitions	277	Data Source:	Calculated
Beginning Position:	12		Numeric
Length: Field 25:	OP AMOUNT	Type:	Numeric
Description:	_	utnationt Service	es Charge Amount. Calculated using MEDPAR
Description.			venue codes other than 0100-0219, revenue center
	49X-50X.	ssociated with re	vende codes other than 0100 0217, revende center
Beginning Position:	289	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 26:	ER AMOUNT	-JF	
Description:	_	mergency Room	Charge Amount. Calculated using MEDPAR
1			venue codes other than 0100-0219, revenue center
	45X.		
Beginning Position:	301	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 27:	AMBULANCE AMOUNT	,	
Description:	Ancillary Service Charge, An	mbulance Charg	e Amount. Calculated using MEDPAR algorithm.
	Sum of charges associated w	rith revenue code	es other than 0100-0219, revenue center 54X.
Beginning Position:	313	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 28:	PRO_FEE_AMOUNT		
Description:	Ancillary Service Charge, Pr	ofessional Fee C	Charge Amount. Calculated using MEDPAR
	-	ssociated with re	venue codes other than 0100-0219, revenue center
	96X-98X.		
Beginning Position:	325	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 29:	ORGAN_AMOUNT		
Description:			Charge Amount. Calculated using MEDPAR
	-	ssociated with re	venue codes other than 0100-0219, revenue center
	81X, 89X.		

DSHS/THCIC
www.dshs.state.tx.us/THCIC

Page 33

DSHS Document # E25-14163

Last Updated: March, 2017

Doginning Dogitions	337	Data Sauraa	Calcula	tad	
Beginning Position:	12				
Length:	J1			Numeric	
Field 30:	ESRD_AMOUNT	a End Staga Danal F	Nalwaia C	harge Amount. Calculated using	
Description:					
	_	MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219,			
Doginaing Dogitions	revenue center 80X, 82X-88X. 349				
Beginning Position:	349 12	Data Source:			
Length:		Type:	Numeric		
Field 31: Description:	CLINIC_AMOUNT	o Clinio Vigit Chara	a A maun	t Calculated using MEDDAD algorithm	
Description:	Ancillary Service Charge, Clinic Visit Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 51X.				
Beginning Position:	361	Data Source:	Calcula		
Length:	12	Type:	Numeri	c	
Field 32:	OCCUR CODE 1				
Description:	Code describing a signif	icant event relating to	o the clain	m.	
Coding Scheme:	1 Auto accident	J	40	Scheduled date of admission	
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	2 No Fault Insurance In Accident/Other	volved - Including Auto	41	Date of first test of pre-admission testing	
	3 Accident/ Tort Liabili	ty	42	Date of discharge (hospice only)	
	4 Accident/ Employmen	nt Related	43	Scheduled date of canceled surgery	
	5 Other accident 6 Crime Victim		44 45	Date treatment started - OT Date treatment started - ST	
	9 Start of Infertility Tre	atment Cycle	46	Date treatment started - Cardiac rehabiliation	
	10 Last Menstrual Period		47	Date cost outlier status begins	
	11 Onset of Symptoms/ I		A1	Birthdate - Insured A	
	12 Date of Onset for a Cl Individual	nronically Dependent	A2	Effective Date - Insured A Policy	
	16 Date of Last Therapy		A3	Payer A benefits exhausted	
		lan Established or Last	A4	Split Bill Date	
	Reviewed 18 Date of Retirement - I	Patient/Beneficiary	В1	Birthdate - Insured B	
	19 Date of Retirement - S	•	В2	Effective date - Insured B Policy	
	20 Date Guarantee of Pay	-	В3	Payer B benefits exhausted	
	21 Date UR Notice Rece	•	C1	Birthdate - Insured C	
	22 Date Active Care End	ed	C2	Effective date - Insured C Policy	
	24 Date Insurance Denie	d	C3	Payer C benefits exhausted	
	25 Date Benefits Termina	ated by Primary Payer	DR	Katrina disaster related	
	26 Date SNF Bed Becam	e Available	E1	Birthdate - Insured D	
	27 Date Home Health Pla	an Established or Last	E2	Effective date - Insured D Policy	
	28 Date Comprehensive	Reviewd Date Comprehensive Outpatient Rehabilitation Plan Established or Last Reviewed		Payer D benefits exhausted	
	29 Date Outpatient PT Pl		F1	Birthdate - Insured E	
	30 Date Outpatient ST Pl	an established or last	F2	Effective date - Insured E Policy	
		Date beneficiary notified of intent to bill		Payer E benefits exhausted	
	32 Date beneficiary notif		G1	Birthdate - Insured F	
		ital discharge for non-	G2	Effective date - Insured F Policy	
	38 Date treatment started		G3	Payer F benefits exhausted	
	_	continuous course if IV			
Dartanta D. W.	therapy	Data C	Cl- '		
Beginning Position:	373	Data Source:	Claim	,	
Length:	2 Type: Alphanumeric				
Field 33:	OCCUR_DAY_1				
Description:	Occurrence Day <i>equals</i> Occurrence Date <i>minus</i> Admission/Start of Care Date.				
Beginning Position:	4	375 Data Source: Calculated 4 Type: Alphanumeric			
Length: Field 34:		Type:	Aiphailt	anici ic	
	OCCUR_CODE_2			D 0110 =	
DSHS/THCIC	THOIC	—— Page 34 —		DSHS Document # E25-14163	

Page 34

Last Updated: March, 2017

www.dshs.state.tx.us/THCIC

Code describing a significant event relating to the claim. **Description:**

Coding Scheme: Same as Field OCCUR CODE 1.

Beginning Position: 379 **Data Source:** Claim

Length: Alphanumeric 2 Type:

OCCUR DAY 2 Field 35:

Occurrence Day equals Occurrence Date minus Admission/Start of Care Date. **Description:**

Beginning Position: Data Source: Calculated 381 Alphanumeric Length: Type:

OCCUR CODE 3 Field 36:

Description: Code describing a significant event relating to the claim.

Same as Field OCCUR CODE 1. **Coding Scheme:**

Beginning Position: 385 **Data Source:** Claim

Length: Type: Alphanumeric

OCCUR DAY 3 **Field 37:**

Occurrence Day equals Occurrence Date minus Admission/Start of Care Date. **Description:**

Beginning Position: 387 **Data Source:** Calculated Length: Alphanumeric Type:

Field 38: OCCUR CODE 4

Description: Code describing a significant event relating to the claim.

Same as Field OCCUR CODE 1. **Coding Scheme:**

Beginning Position: 391 **Data Source:** Claim

2 Alphanumeric Length: Type:

Field 39: OCCUR DAY 4

Description: Occurrence Day equals Occurrence Date minus Admission/Start of Care Date.

Beginning Position: 393 **Data Source:** Calculated Length: Alphanumeric Type:

OCCUR CODE 5 Field 40:

Code describing a significant event relating to the claim. **Description:**

Same as Field OCCUR CODE 1. **Coding Scheme:**

397 **Beginning Position:** Data Source: Claim

Length: Alphanumeric Type:

OCCUR DAY 5 Field 41:

Description: Occurrence Day equals Occurrence Date minus Admission/Start of Care Date.

Beginning Position: 399 **Data Source:** Calculated Length: 4 Type: Alphanumeric

Field 42: OCCUR CODE 6

Description: Code describing a significant event relating to the claim.

Coding Scheme: Same as Field OCCUR CODE 1.

Claim **Beginning Position:** 403 **Data Source:**

Length: Type: Alphanumeric

OCCUR DAY 6 Field 43:

Occurrence Day equals Occurrence Date minus Admission/Start of Care Date. **Description:**

Beginning Position: 405 Data Source: Calculated Length: 4 Alphanumeric Type:

Field 44: OCCUR CODE 7

Description: Code describing a significant event relating to the claim.

Same as Field OCCUR CODE 1. **Coding Scheme:**

Beginning Position: 409 **Data Source:** Claim

Alphanumeric Length: Type:

OCCUR DAY 7 Field 45:

Occurrence Day equals Occurrence Date minus Admission/Start of Care Date. **Description:**

Beginning Position: 411 **Data Source:** Calculated Length: Alphanumeric Type:

OCCUR CODE 8 Field 46:

Description: Code describing a significant event relating to the claim.

DSHS/THCIC DSHS Document # E25-14163 Page 35 www.dshs.state.tx.us/THCIC Last Updated: March, 2017

Same as Field OCCUR CODE 1. **Coding Scheme: Beginning Position:** 415 **Data Source:** Claim Length: Type: Alphanumeric OCCUR DAY 8 **Field 47: Description:** Occurrence Day equals Occurrence Date minus Admission/Start of Care Date. **Beginning Position:** 417 Data Source: Calculated Length: Alphanumeric Type: Field 48: OCCUR CODE 9 Code describing a significant event relating to the claim. **Description: Coding Scheme:** Same as Field OCCUR CODE 1. **Beginning Position:** 421 **Data Source:** Claim Length: Type: Alphanumeric Field 49: OCCUR DAY 9 Occurrence Day equals Occurrence Date minus Admission/Start of Care Date. **Description: Beginning Position:** 423 Data Source: Calculated Length: Type: Alphanumeric Field 50: OCCUR CODE 10 Code describing a significant event relating to the claim. **Description: Coding Scheme:** Same as Field OCCUR CODE 1. **Beginning Position:** 427 **Data Source:** Claim Length: 2 Type: Alphanumeric OCCUR DAY 10 Field 51: **Description:** Occurrence Day equals Occurrence Date minus Admission/Start of Care Date. **Beginning Position:** 429 **Data Source:** Calculated Length: Alphanumeric Type: Field 52: OCCUR CODE 11 Code describing a significant event relating to the claim. **Description: Coding Scheme:** Same as Field OCCUR CODE 1. **Beginning Position:** 433 **Data Source:** Claim Length: Alphanumeric Type: OCCUR DAY 11 Field 53: **Description:** Occurrence Day equals Occurrence Date minus Admission/Start of Care Date. Data Source: **Beginning Position:** 435 Calculated Length: Type: Alphanumeric Field 54: OCCUR CODE 12 **Description:** Code describing a significant event relating to the claim. **Coding Scheme:** Same as Field OCCUR CODE 1. **Beginning Position:** 439 **Data Source:** Claim Alphanumeric Length: Type: Field 55: OCCUR DAY 12 **Description:** Occurrence Day equals Occurrence Date minus Admission/Start of Care Date. 441 **Beginning Position: Data Source:** Calculated Length: Type: Alphanumeric Field 56: OCCUR SPAN CODE 1 **Description:** Code describing a significant event relating to the claim that may affect payer processing. **Coding Scheme:** 70 Qualifying stay dates (for SNF use only) SNF prior stay dates 71 Prior stay dates 80 Prior Same SNF prior stay dates for Payment Ban Purposes 72 First/Last Visit 81 Antepartum Days at Reduced Level of Care 73 Benefit eligibility period M0QIO/UR approved stay dates 74 Noncovered level of care/Leave of absence M1 Provider liability - no utilization 75 SNF level of care M2 Inpatient respite dates 76 Patient Liability Period M3 ICF level of care Provider Liability - Utilization Charged 77 M4 Residential level of care **Beginning Position:** 445 **Data Source:** Claim Length: Type: Alphanumeric

DSHS/THCIC

www.dshs.state.tx.us/THCIC

Page 36

DSHS Document # E25-14163

Last Updated: March, 2017

OCCUR_SPAN_FROM_1

Field 57:

D ' 4'	O	(E
Description:		te of Event <i>minus</i> Admission/Start of Care Date.
Beginning Position:	447 Data Source:	Calculated
Length:	6 Type:	Alphanumeric
Field 58:	OCCUR_SPAN_THRU_1	
Description:	Occurrence Span Thru equals Ending Date o	
Beginning Position:	453 Data Source:	Calculated
Length:	6 Type:	Alphanumeric
Field 59:	OCCUR_SPAN_CODE_2	
Description:	Code describing a significant event relating t	o the claim that may affect payer processing.
Coding Scheme:	Same as Field OCCUR_SPAN_CODE_1.	
Beginning Position:	459 Data Source:	Claim
Length:	2 Type:	Alphanumeric
Field 60:	OCCUR_SPAN_FROM_2	
Description:	Occurrence Span From equals Beginning Da	te of Event minus Admission/Start of Care Date.
Beginning Position:	461 Data Source:	Calculated
Length:	6 Type:	Alphanumeric
Field 61:	OCCUR SPAN THRU 2	•
Description:	Occurrence Span Thru equals Ending Date o	f Event <i>minus</i> Admission/Start of Care Date.
Beginning Position:	Data Source:	Calculated
Length:	6 Type:	Alphanumeric
Field 62:	OCCUR SPAN CODE 3	1
Description:	Code describing a significant event relating t	o the claim that may affect payer processing
Coding Scheme:	Same as Field OCCUR SPAN CODE 1.	o the claim that may affect payer processing.
Beginning Position:	473 Data Source:	Claim
Length:	2 Type:	Alphanumeric
Field 63:	OCCUR SPAN FROM 3	Mphanamerie
Description:		te of Event minus Admission/Start of Care Date.
Beginning Position:	475 Data Source:	Calculated
Length:	6 Type:	Alphanumeric
LCHZUI.	U I VDC.	Albhanuniche
	<i>7</i> 1	
Field 64:	OCCUR_SPAN_THRU_3	•
Field 64: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date o	f Event minus Admission/Start of Care Date.
Field 64: Description: Beginning Position:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date o 481 Data Source:	f Event <i>minus</i> Admission/Start of Care Date. Calculated
Field 64: Description: Beginning Position: Length:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date o 481 Data Source: Type:	f Event minus Admission/Start of Care Date.
Field 64: Description: Beginning Position: Length: Field 65:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date o 481 Data Source: Type: OCCUR_SPAN_CODE_4	f Event <i>minus</i> Admission/Start of Care Date. Calculated Alphanumeric
Field 64: Description: Beginning Position: Length: Field 65: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date o 481 Data Source: Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating t	f Event <i>minus</i> Admission/Start of Care Date. Calculated Alphanumeric
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date o 481 Data Source: Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating t Same as Field OCCUR_SPAN_CODE_1.	f Event <i>minus</i> Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing.
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date o 481 Data Source: 6 Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating t Same as Field OCCUR_SPAN_CODE_1. 487 Data Source:	f Event <i>minus</i> Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date o 481 Data Source: 6 Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating t Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: 2 Type:	f Event <i>minus</i> Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing.
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date o 481 Data Source: Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating t Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: 2 Type: OCCUR_SPAN_FROM_4	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date o 481 Data Source: 6 Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating t Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: 2 Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Da	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date.
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date of 481 Data Source: 6 Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating the Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: 2 Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Data 489 Data Source:	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date of 481 Data Source: 6 Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating the Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: 7 Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Data Source: 489 Data Source: Type:	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date.
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date o 481 Data Source: 6 Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating t Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: 2 Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Data Source: 489 Data Source: 6 Type: OCCUR_SPAN_THRU_4	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date of 481 Data Source: Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating the Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Data Source: Type: OCCUR_SPAN_THRU_4 OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending Date of the Span Thru equals Ending D	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date.
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Beginning Position:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date of 481 Data Source: Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating the Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Data Source: Type: OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending Date of 495 Data Source:	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Calculated
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date of 481 Data Source: Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating the Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Data Source: Type: OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending Date of 495 Data Source: Type:	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date.
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date of 481 Data Source: 6 Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating the Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: 2 Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Date of Span_Source: Type: OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending Date of 495 Data Source: Type: CONDITION_CODE_1	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date of 481 Data Source: Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating to Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Data Source: Type: OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending Date of 495 Data Source: Type: CONDITION_CODE_1 Code describing a condition relating to the classification.	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric aim.
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date of 481 Data Source: 6 Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating to Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: 2 Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Data Source: 6 Type: OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending Date of 495 Data Source: 6 Type: CONDITION_CODE_1 Code describing a condition relating to the close of Military service related	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date of 481 Data Source: 6 Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating to Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: 2 Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Data Source: 6 Type: OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending Date of 495 Data Source: 6 Type: CONDITION_CODE_1 Code describing a condition relating to the club Military service related 02 Condition is employment related	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program A1 EPSDT/CHAP
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date of 481 Data Source: 6 Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating to Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: 2 Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Data Source: 6 Type: OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending Date of 495 Data Source: 6 Type: CONDITION_CODE_1 Code describing a condition relating to the club Military service related 02 Condition is employment related	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date of 481 Data Source: 6 Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating to Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: 2 Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Data Source: 6 Type: OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending Date of 495 Data Source: 6 Type: CONDITION_CODE_1 Code describing a condition relating to the club Military service related 02 Condition is employment related 03 Patient covered by insurance not reflected here 04 Information only bill. 05 Lien has been filed	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program A1 EPSDT/CHAP A2 Physically handicapped children's program
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date of 481 Data Source: Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating the Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Data Source: Type: OCCUR_SPAN_TROM_4 Occurrence Span Thru equals Ending Data Source: Type: OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending Date of 495 Data Source: Type: CONDITION_CODE_1 Code describing a condition relating to the club Military service related O2 Condition is employment related O3 Patient covered by insurance not reflected here O4 Information only bill. O5 Lien has been filed ESRD patient in first 18 months of entitlement	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program A1 EPSDT/CHAP A2 Physically handicapped children's program A3 Special Federal Funding
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date of 481 Data Source: Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating the Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Date of 489 Data Source: Type: OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending Date of 495 Data Source: Type: CONDITION_CODE_1 Code describing a condition relating to the classification of the	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program A1 EPSDT/CHAP A2 Physically handicapped children's program A3 Special Federal Funding A4 Family planning A5 Disability
Field 64: Description: Beginning Position: Length: Field 65: Description: Coding Scheme: Beginning Position: Length: Field 66: Description: Beginning Position: Length: Field 67: Description: Beginning Position: Length: Field 68: Description:	OCCUR_SPAN_THRU_3 Occurrence Span Thru equals Ending Date of 481 Data Source: Type: OCCUR_SPAN_CODE_4 Code describing a significant event relating the Same as Field OCCUR_SPAN_CODE_1. 487 Data Source: Type: OCCUR_SPAN_FROM_4 Occurrence Span From equals Beginning Data Source: Type: OCCUR_SPAN_TROM_4 Occurrence Span Thru equals Ending Data Source: Type: OCCUR_SPAN_THRU_4 Occurrence Span Thru equals Ending Date of 495 Data Source: Type: CONDITION_CODE_1 Code describing a condition relating to the club Military service related O2 Condition is employment related O3 Patient covered by insurance not reflected here O4 Information only bill. O5 Lien has been filed ESRD patient in first 18 months of entitlement	f Event minus Admission/Start of Care Date. Calculated Alphanumeric o the claim that may affect payer processing. Claim Alphanumeric te of Event minus Admission/Start of Care Date. Calculated Alphanumeric f Event minus Admission/Start of Care Date. Calculated Alphanumeric aim. A0 TRICARE external partnership program A1 EPSDT/CHAP A2 Physically handicapped children's program A3 Special Federal Funding A4 Family planning A5 Disability

DSHS/THCIC DSHS Document # E25-14163 www.dshs.state.tx.us/THCIC Page 37 Last Updated: March, 2017

	D 01 11 11 11 11 11 11 11 11 11 11 11 11		
08	Beneficiary would not provide information concerning other insurance coverage	A9	Second opinion surgery
09	Neither patient or spouse is employed	AA	Abortion performed due to rape
10	Patient and/or spouse is employed but no EGHP	AB	Abortion performed due to incest
11	exists Disabled beneficiary but no LGHP coverage exists	AC	Abortion performed due to serious fatal genetic defect, deformity, or abnormality
17	Patient is homeless	AD	Abortion performed due to life endangering physical condition
18	Maiden name retained	AE	Abortion performed due to physical health of mother that is not life endangering
19	Child retains mother's name	AF	Abortion performed due to emotional/psychological health of mother
20	Beneficiary requested billing	AG	Abortion performed due to social or economic reasons
21	Billing for denial notice	AH	Elective abortion
22	Patient on multiple drug regimen	ΑI	Sterilization
23	Home care giver available	AJ	Payer responsible for co-payment
24	Home IV patient also receiving HHA services		
25	Patient is non-US resident	AK	Air ambulance required
26	VA eligible patient chooses to receive services in	AL	Specialized treatment/bed unavailable
27	a Medicare certified facility Patient referred to a sole community hospital for	AM	Non-emergency medically necessary stretcher
	a diagnostic laboratory test Patient and/or spouse's EGHP is secondary to		transport required
28	Medicare	AN	Pre-admission screening not required
29	Disabled beneficiary and/or family member's LGHP is secondary to Medicare	B0	Medicare coordinated care demonstration claim
30	Non-research services provided to patients enrolled in a qualified clinical trial	B1	Beneficiary is ineligible for demonstration program
31	Patient is student (full time - day)	B4	Admission unrelated to discharge on same day
32	Patient is student (cooperative/work study program)	BP	Gulf Oil Spill of 2010
33	Patient is student (full time - night)	C1	Approved as billed
34	Patient is student (part-time)	C2	Automatic approval as billed based on focused review
36	General care patient in a special unit	C3	Partial approval
37	Ward accommodation at patient request	C4	Admission/services denied
38	Semi-private room not available	C5	Postpayment review applicable
39	Private room medically necessary	C6	Admission Preauthorization
40	Same day transfer	C7	Extended Authorization
41	Partial hospitalization	D0	Changes to Service Dates
42	Continuing care not related to inpatient	D1	Changes to Charges
	admission Continuing care not provided within prescribed		
43	postdischarge window	D3	Second or Subsequent Interim PPS Bill
44	Inpatient admission changed to outpatient	D4	Change in clinial codes (ICD) for diagnosis and/or procedure codes.
45	Ambiguous Gender Category	D5	Cancel to correct Insured's ID or Provider ID Cancel Only to Repay a Duplicate or OIG
46	Non-availability statement on file	D6	Overpayment
47	Transfer from another Home Health Agency	D7	Change to Make Medicare the Secondary Payer
48	Psychiatric residential treatment centers for children and adolescents (RTCs)	D8	Change to Make Medicare the Primary Payer
49	Product replacement within product lifecycle	D9	Any Other Change
50	Product Replacement for Known Recall of a Product	DR	Disaster related
51	Attestation of Unrelated Outpatient Nondiagnostic Services	E0	Changes in Patient Status
52	Out of Hospice Service Area	G0	Distinct Medical Visit
52	Initial placement of a medical device provided as	110	Deleved Eiling Statement of Latent Section 1
53	part of a clinical trial or a free sample No Skilled Home Health Visits in Billing Period.	Н0	Delayed Filing, Statement of Intent Submitted
54	Policy Exception Documented at the Home Health Agency	H2	Discharge by a Hospice Provider for Cause
55	SNF bed not available	НЗ	Reoccurrence of GI Bleed Comorbid Category

	56	Medical appropriateness		H4	Reoccurrence of Pneumonia Comorbid Category
	57	SNF readmission Terminated Medicare+Cho	iaa arganization	H5	Reoccurence of Pericarditis Comorbid Category
	58	enrollee	ice organization	P1	Do not Resuscitate Order (DNR)
	59	Non-primary ESRD facility	y	P7	Direct Inpatient Admissin from Emergency Room
	60	Day outlier		R1	Request for reopening Reason Code - Mathematical or Computational Mistake
	61	Cost outlier		R2	Request for reopening Reason Code -Inaccurate Data Entry
	66	Provider does not wish cos	1 2	R3	Request for reopening Reason Code - Misapplication of a Fee Schedule
	67	Beneficiary elects not to us (LTR) days		R4	Request for reopening Reason Code - Computer Errors
	68	Beneficiary elects to use lift days	fe time reserve (LTR)) R5	Request for reopening Reason Code - Incorrectly Identified Duplicate Claim Request for reopening Reason Code - Other
	69	IME/DGME/N&AH Paym	ent Only	R6	Clerical Errors or Minor Errors and Omissions not Specified in R1-R5 above
	70	Self-administered anemia n	nanagement drug	R7	Request for reopening Reason Code - Corrections other than clerical errors
	71	Full care in unit		R8	Request for reopening Reason Code - New and Material Evidence
	72	Self care in unit		R9	Request for reopening Reason Code - Faulty Evidence
	73	Self care training		WO	United Mine Workers of America (UMWA) Demonstration Indicator
	74	Home		W2	Duplicate of Original Bill
	75	Home - 100% reimburseme	ent	W3	Level I Appeal
	76	Back-up in facility dialysis		W4	Level II Appeal
	77	Provider accepts or is oblig contractual arrangement or payment by a primary paye	law to accept	a W5	Level III Appeal
	78	New coverage not impleme			
	79	CORF services provided of	ffsite		
	80	Home dialysis - nursing fac	•		
	81	C-section/Inductions <39 w Necessity	veeks-Medical		
	82	C-section/Inductions <39 w			
	83	C-section/Inductions 39 we	-		
	84	Dialysis for Acute Kidney			
	85	Delayed Recertification of Illness	1		
	86	Additional Hemodialysis T Justification			
Beginning Position:	501		Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 69:		DITION_CODE_2	1		
Description:		describing a condition		aim.	
Coding Scheme:		as Field CONDITION		C1-:	
Beginning Position:	503		Data Source:	Claim	
Length: Field 70:	2 CON	DITION CODE 3	Type:	Alphanu	illeric
Description:		describing a condition	ralating to the al	oim	
Coding Scheme:		as Field CONDITION		a1111.	
Beginning Position:	505	as field CONDITION	Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 71:		DITION CODE 4	турс.	тириши	
Description:		describing a condition	relating to the cl	aim.	
Coding Scheme:		as Field CONDITION			
Beginning Position:	507		Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
			J I · · ·		

DSHS/THCIC
www.dshs.state.tx.us/THCIC

Page 39

DSHS Document # E25-14163

Last Updated: March, 2017

Field 72:	CON	DITION CODE 5			
Description:		describing a condition	relating to the cla	aim.	
Coding Scheme:		as Field CONDITION	_		
Beginning Position:	509		Data Source:	Claim	
Length:	2		Type:	Alphanu	ımeric
Field 73:		DITION CODE 6	Typer		
Description:		describing a condition	relating to the cla	aim	
Coding Scheme:		as Field CONDITION		u1111.	
Beginning Position:	511	as Field CONDITION	Data Source:	Claim	
0 0	2				amorio.
Length: Field 74:		DITION CODE 7	Type:	Alphanu	imeric
			1.4:	_:	
Description:		describing a condition		aiiii.	
Coding Scheme:		as Field CONDITION		CI.	
Beginning Position:	513		Data Source:	Claim	
Length:	2		Type:	Alphanu	imeric
Field 75:		DITION_CODE_8			
Description:		describing a condition		aim.	
Coding Scheme:		as Field CONDITION			
Beginning Position:	515		Data Source:	Claim	
Length:	2		Type:	Alphanu	ımeric
Field 76:	VAL	UE CODE 1			
Description:	Code	describing information	that may affect 1	payer pro	cessing.
Coding Scheme:	01	Most common semi-private	rate	58	Arterial blood gas
8	02	Hospital has no semi-privat		59	Oxygen saturation
	04	Inpatient professional compare combined billed	onent charges which	60	HHA branch MSA
	05	Professional component includes also billed separately to car		61	Place of Residence where service is furnished (HHA and hospice)
	06	Blood deductible	IICI	66	Medicaid spend down amount
	08	Life time reserve amount in	the first calendar	67	Peritoneal dialysis
	00	year	C . 1 1	60	EDO 1
	09 10	Coinsurance amount in the Lifetime reserve amount in	•	68 69	EPO-drug State charity care percentage
	10	year	the second calendar		State charity care percentage
	11	Coinsurance amount in the			Covered Days
	12	Working aged beneficiary/s group health plan	spouse with employer	r 81	Non-covered Days
	13	ESRD beneficiary in a Mec period with an employer gr		82	Co-insurance Days
	14	No fault, including auto/oth		83	Lifetime Reserve Days
	15	Worker's compensation		84	Shorter Duration Hemodialysis
	16	Public health service (PHS)	or other federal	A0	Special zip code reporting
		agency			
	21	Catastrophic		A1	Deductible payer A
	22	Surplus		A2	Coinsurance payer A
	23	Recurring monthly income		A3	Estimated responsibility payer A
	24	Medicaid Rate Code		A4	Covered self-administrable drugs - emergency
	25	Offset to the patient - paym	ent amount -	A5	Covered self-administrable drugs - administrable
	26	Offset to the patient - paym	nent amount - hearing	, A6	in form and situation furnished to patient Covered self-administrable drugs - diagnostic
	27	and ear services Offset to the patient - paymand eye services	nent amount - vision	A7	study and other Co-payment payer A
	28	Offset to the patient - paym services	ent amount - dental	A8	Patient weight
	29	Offset to the patient - paym chiropractic services	ent amount -	A9	Patient height
	30	Preadmission testing		AA	Regulatory surcharges, assessments, allowances or health care related taxes - payer A
	31	Patient Liability Amount		AB	Other assessments or allowances (e.g., medical eduction) - payer A
	32	Multiple patient ambulance	transport	B1	Deductible payer B

DSHS/THCIC

DSHS Document # E25-14163 Last Updated: March, 2017

Page 40

	33	Offset to the patient - paym	nent amount - podiatri	c B2	Coinsurance payer B
	34	services Offset to the patient - paym	ent amount - other	В3	Estimated responsibility payer B
	35	medical services Offset to the patient - paym	ent amount - health	В7	Co-payment payer B
	37	insurance premiums Units of blood furnished		BA	Regulatory surcharges, assessments, allowances
	38	Blood deductible units		BB	or health care related taxes - payer B Other assessments or allowances (e.g., medical
	39	Units of blood replaced		C1	eduction) - payer B Deductible payer C
	40	New coverage not impleme	ented by HMO	C2	Coinsurance payer C
	41	Black lung		C3	Estimated responsibility payer C
	42	VA		C7	Co-payment payer C
	43	Disabled beneficiary under	age 65 with LGHP	CA	Regulatory surcharges, assessments, allowances
	44	Amount provider agreed to payer when this amount is higher than payment receiv	less than charges but	СВ	or health care related taxes - payer C Other assessments or allowances (e.g., medical eduction) - payer C
	45	Accident hour	cu	D3	Patient estimated responsibility
	46	Number of grace days		D4	Clinical Trial Number Assigned by NLM/NIH
	47	Any liability insurance		D5	Last Kt/V Reading
	48	Hemoglobin reading		FC	Patient Paid Amount
	49	Hematocrit reading		FD	Credit Received from the Manufacturer for a
	50	Physical Therapy visits		G8	Medical Device Facility where Inpatient Hospice Service is
	51	Occupational Therapy visit	S	Y1	Delivered Part A Demonstration Payment
	52	Speech Therapy visits	5	Y2	Part B Demonstration Payment
	53	Cardiac rehab visits		Y3	Part B Coinsurance
	54	Newborn birth weight in gr	ams	Y4	Conventional Provider Payment
	55	Eligibility threshold for cha		Y5	Part B Deductible
	56	Skilled nurse - home visit h	•		
	57	Home health aide - home v	isit hours		
Beginning Position:	517		Data Source:	Claim	
Length:	2		Type:	Alphanu	ımeric
Field 77:		UE AMOUNT 1	V 1		
Description:		r amount that may be a	ffected.		
Beginning Position:	519	•	Data Source:	Claim	
Length:	9		Type:	Alphanu	meric
Field 78:	VAL	UE_CODE_2			
Description:	Code	describing information	that may affect p	oayer pro	cessing.
Coding Scheme:	Same	as Field Value_CODE	_1.		
Beginning Position:	528		Data Source:	Claim	
Length:	2		Type:	Alphanu	ımeric
Field 79:		UE_AMOUNT_2			
Description:	Dolla	r amount that may be a	ffected.		
Beginning Position:	530		Data Source:	Claim	
Length:	9		Type:	Alphanu	ımeric
Field 80:	VAL	UE_CODE_3			
Description:		describing information	that may affect r	oaver pro	cessing.
Coding Scheme:		as Field Value CODE		<i>J</i> 1	8
Beginning Position:	539	_	Data Source:	Claim	
Length:	2		Type:	Alphanu	ımeric
Field 81:		UE AMOUNT 3	* *	*	
Description:		r amount that may be a	ffected.		
Beginning Position:	541	·	Data Source:	Claim	
Length:	9		Type:	Alphanu	imeric
				•	

Field 82: VALUE CODE 4 **Description:** Code describing information that may affect payer processing. Same as Field Value_CODE_1. **Coding Scheme: Beginning Position:** 550 **Data Source:** Claim Length: Alphanumeric Type: Field 83: VALUE AMOUNT 4 Dollar amount that may be affected. **Description: Beginning Position: Data Source:** Claim Alphanumeric Length: Type: Field 84: VALUE CODE 5 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 561 **Data Source:** Claim Length: Type: Alphanumeric **Field 85:** VALUE AMOUNT 5 **Description:** Dollar amount that may be affected. **Beginning Position:** 563 **Data Source:** Claim Length: Type: Alphanumeric Field 86: VALUE CODE 6 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 572 Data Source: Claim Length: Type: Alphanumeric Field 87: VALUE AMOUNT 6 Dollar amount that may be affected. **Description: Beginning Position:** 574 **Data Source:** Claim Length: Alphanumeric Type: VALUE CODE 7 **Field 88:** Code describing information that may affect payer processing. **Description: Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 583 **Data Source:** Claim Length: Type: Alphanumeric Field 89: VALUE AMOUNT 7 **Description:** Dollar amount that may be affected. **Beginning Position:** 585 **Data Source:** Claim Length: Alphanumeric Type: Field 90: VALUE CODE 8 Code describing information that may affect payer processing. **Description:** Same as Field Value CODE 1. **Coding Scheme: Beginning Position:** 594 Data Source: Claim Length: 2 Alphanumeric Type: VALUE AMOUNT 8 Field 91: **Description:** Dollar amount that may be affected. **Beginning Position:** 596 **Data Source:** Claim Length: Type: Alphanumeric Field 92: VALUE CODE 9 Code describing information that may affect payer processing. **Description: Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 605 **Data Source:** Length: Type: Alphanumeric Field 93: VALUE AMOUNT 9 Dollar amount that may be affected. **Description:** Claim **Beginning Position:** 607 **Data Source:** Length: 9 Alphanumeric Type:

DSHS/THCIC
www.dshs.state.tx.us/THCIC

Page 42

DSHS Document # E25-14163

Last Updated: March, 2017

Field 94: VALUE CODE 10 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 616 **Data Source:** Claim Length: Type: Alphanumeric Field 95: VALUE AMOUNT 10 **Description:** Dollar amount that may be affected. Claim **Beginning Position: Data Source:** Alphanumeric Length: Type: Field 96: VALUE CODE 11 **Description:** Code describing information that may affect payer processing. **Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 627 **Data Source:** Claim Length: Alphanumeric Type: VALUE AMOUNT 11 **Field 97: Description:** Dollar amount that may be affected. **Beginning Position:** 629 **Data Source:** Claim Length: Type: Alphanumeric Field 98: VALUE CODE 12 Code describing information that may affect payer processing. **Description: Coding Scheme:** Same as Field Value CODE 1. **Beginning Position:** 638 **Data Source:** Claim Length: Type: Alphanumeric Field 99: **VALUE AMOUNT 12 Description:** Dollar amount that may be affected. **Beginning Position:** 640 **Data Source:** Claim Length: Alphanumeric Type:

CHARGES DATA FILE

Field 1:	RECO	ORD_ID		
Description:		d Identification Number. Unique number arter 2002. Does NOT match the RECOF		
Beginning Position:	1	Data Source:	Assigne	
Length:	12	Type:	Alphan	
		VI	Aiphan	umerie
Field 2:		ENUE_CODE		
Description:		corresponding to each specific accommod	dation, a	ncillary service or billing calculation
	related	l to the services being billed.		
Coding Scheme:	0100	All-inclusive room charges plus ancillary	0527	Freestanding Clinic - Visiting Nurse Services(s) to a Member's Home when in a Home Health Shortage Area
	0101	All-inclusive room charges	0528	Freestanding Clinic – Visit by RHC/FQHC Practitioner to Other non RHC/FQHC Site (e.g. Scene of Accident)
	0110	Room charges for private rooms - general	0529	Freestanding Clinic - other
	0111	Room charges for private rooms - medical/surgical/GYN	0530	Osteopathic service - general
	0112	Room charges for private rooms - obstetrics	0531	Osteopathic service - therapy
	0113	Room charges for private rooms - pediatric	0539	Osteopathic service - other
	0114	Room charges for private rooms - psychiatric	0540	Ambulance service - general
	0115	Room charges for private rooms - hospice	0541	Ambulance service - supplies
	0116	Room charges for private rooms - detoxification	0542	Ambulance service - medical transport
	0117	Room charges for private rooms - oncology	0543	Ambulance service - heart mobile
	0118	Room charges for private rooms - rehabilitation	0544	Ambulance service - oxygen
	0119	Room charges for private rooms - other	0545	Ambulance service - air ambulance
	0120	Room charges for semi-private rooms - general	0546	Ambulance service - neonatal
	0121	Room charges for semi-private rooms - medical/surgical/GYN	0547	Ambulance service - pharmacy
	0122	Room charges for semi-private rooms - obstetrics	0548	Ambulance service - telephone transmission EKG
	0123	Room charges for semi-private rooms - pediatric	0549	Ambulance service - other
	0124	Room charges for semi-private rooms - psychiatric	0550	Skilled nursing - general
	0125	Room charges for semi-private rooms - hospice	0551	Skilled nursing - visit charge
	0126	Room charges for semi-private rooms - detoxification	0552	Skilled nursing - hourly charge
	0127	Room charges for semi-private rooms - oncology	0559	Skilled nursing - other
	0128	Room charges for semi-private rooms - rehabilitation	0560	Medical social services - general
	0129	Room charges for semi-private rooms - other	0561	Medical social services - visit charge
	0130	Room charges for semi-private - 3/4 beds - rooms - general	0562	Medical social services - hourly charge
	0131	Room charges for semi-private - 3/4 beds - rooms - medical/surgical/GYN	0569	Medical social services - other
	0132	Room charges for semi-private - 3/4 beds - rooms - obstetrics	0570	Home health aide - general
	0133	Room charges for semi-private - 3/4 beds - rooms - pediatric	0571	Home health aide - visit charge
	0134	Room charges for semi-private - 3/4 beds - rooms - psychiatric	0572	Home health aide - hourly charge
	0135	Room charges for semi-private - 3/4 beds - rooms - hospice	0579	Home health aide - other
	0136	Room charges for semi-private - 3/4 beds - rooms - detoxification	0580	Other visits (home health) - general
	0137	Room charges for semi-private - 3/4 beds - rooms - oncology	0581	Other visits (home health) - visit charge
	0138	Room charges for semi-private - 3/4 beds - rooms - rehabilitation	0582	Other visits (home health) - hourly charge
	0139	Room charges for semi-private - 3/4 beds - rooms - other	0583	Other visits (home health) - assessment
	0140	Room charges for private (deluxe) rooms - general	0589	Other visits (home health) - other

DSHS/THCIC DSHS Document # E25-14163 Page 44 www.dshs.state.tx.us/THCIC Last Updated: March, 2017

0141	Room charges for private (deluxe) rooms - medical/surgical/GYN	0590	Units of service (home health) - general
0142	Room charges for private (deluxe) rooms - obstetrics	0600	Oxygen (home health) - general
0143	Room charges for private (deluxe) rooms - pediatric	0601	Oxygen (home health) - stat/equip/supply or contents
0144	Room charges for private (deluxe) rooms - psychiatric	0602	Oxygen (home health) - stat/equip/supply under 1 liter per minute
0145	Room charges for private (deluxe) rooms - hospice	0603	Oxygen (home health) - stat/equip/supply over 4 liters per minute
0146	Room charges for private (deluxe) rooms - detoxification	0604	Oxygen (home health) - portable add-in
0147	Room charges for private (deluxe) rooms - oncology	0609	Oxygen (home health) - other
0148	Room charges for private (deluxe) rooms - rehabilitation	0610	Magnetic Resonance Technology (MRT) - MRI - general
0149	Room charges for private (deluxe) rooms - other	0611	Magnetic Resonance Technology (MRT) - MRI - brain (including brain stem)
0150	Room charges for ward rooms - general	0612	Magnetic Resonance Technology (MRT) - MRI - spinal cord (including spine)
0151	Room charges for ward rooms - medical/surgical/GYN	0614	Magnetic Resonance Technology (MRT) - MRI - other
0152	Room charges for ward rooms - obstetrics	0615	Magnetic Resonance Technology (MRT) - MRA – head and neck
0153	Room charges for ward rooms - pediatric	0616	Magnetic Resonance Technology (MRT) - MRA – lower extremities
0154	Room charges for ward rooms - psychiatric	0618	Magnetic Resonance Technology (MRT) - MRA – other
0155	Room charges for ward rooms - hospice	0619	Magnetic Resonance Technology (MRT) - Other MRT
0156	Room charges for ward rooms - detoxification	0621	Medical/surgical supplies - incident to radiology
0157	Room charges for ward rooms - oncology	0622	Medical/surgical supplies - incident to other diagnostic services
		0623	Medical/surgical supplies - surgical dressings
0158	Room charges for ward rooms - rehabilitation	0624	Medical/surgical supplies - FDA investigational devices
0159	Room charges for ward rooms - other	0631	Drugs requiring specific identification - single source
0160	Room charges for other rooms - general	0632	Drugs requiring specific identification - multiple source
0164	Room charges for other rooms – Sterile Environment	0633	Drugs requiring specific identification - restrictive prescription
0167	Room charges for other rooms – self care	0634	Drugs requiring specific identification - EPO, less than 10,000 units
0169	Room charges for other rooms - other	0635	Drugs requiring specific identification - EPO, 10,000 or more units
0170	Room charges for nursery - general	0636	Drugs requiring specific identification - requiring detailed coding
0171	Room charges for nursery - newborn level I	0637	Drugs requiring specific identification - self- adminstrable nto requiring detailed coding
0172	Room charges for nursery - newborn level II	0640	Home IV therapy services - general
0173	Room charges for nursery - newborn level III	0641	Home IV therapy services - nonroutine nursing, central line
0174	Room charges for nursery - newborn level IV	0642	Home IV therapy services - IV site care, central line
0179	Room charges for nursery - other	0643	Home IV therapy services - IV start/change, peripheral line
0180	Room charges for LOA - general	0644	Home IV therapy services - nonroutine nursing, peripheral line
0182	Room charges for LOA - patient convenice- charges billable	0645	Home IV therapy services - training patient/caregiver, central line
0183	Room charges for LOA - therapeutic leave	0646	Home IV therapy services - traning, disabled patient, central line
0185	Room charges for LOA – nursing home (for hospitalization)	0647	Home IV therapy services - training, patient/caregiver, peripheral
0189	Room charges for LOA - other	0648	Home IV therapy services - training, disabled patient, peripheral
0190	Room charges for subacute care - general	0649	Home IV therapy services - other

0191	Room charges for subacute care - Level I (skilled care)	0650	Hospice services - general
0192	Room charges for subacute care - Level II (comprehensive care)	0651	Hospice services - routine home care
0193	Room charges for subacute care - Level III (complex care)	0652	Hospice services - continuous home care
0194	Room charges for subacute care - Level IV (intensive care)	0655	Hospice services - inpatient respite care
0199	Room charges for subacute care - other	0656	Hospice services - general inpatient care (nonrespite)
0200	Room charges for intensive care - general	0657	Hospice services - physician services
0201	Room charges for intensive care - surgical	0658	Hospice services - room and board - nursing facility
0202	Room charges for intensive care - medical	0659	Hospice services - other
0203	Room charges for intensive care - pediatric	0660	Respite care - general
0204	Room charges for intensive care - psychiatric	0661	Respite care - hourly charge/skilled nursing
0206	Room charges for intensive care - intermediate intensive care unit (ICU)	0662	Respite care - hourly charge/aide/homemaker/companion
0207	Room charges for intensive care - burn care	0663	Respite care - daily charge
0208	Room charges for intensive care - trauma	0669	Respite care - other
0209	Room charges for intensive care - other	0670	Outpatient special residence - general
0210	Room charges for coronary care - general	0671	Outpatient special residence - hospital based
0211	Room charges for coronary care - myocardial infarction	0672	Outpatient special residence - contracted
0212	Room charges for coronary care - pulmonary care	0679	Outpatient special residence - other
0213	Room charges for coronary care - heart transplant	0681	Trauma response - level I
0214	Room charges for coronary care - intermediate coronary care unit (CCU)	0682	Trauma response - level II
0219	Room charges for coronary care - other	0683	Trauma response - level III
0220	Special charges - general	0684	Trauma response - level IV
0221	Special charges - admission charge	0689	Trauma response - other
0222	Special charges - technical support charge	0690	Pre-hospice/Palliative Care Services - general
0223	Special charges - UR service charge	0691	Pre-hospice/Palliative Care Services – visit charge
0224	Special charges - late discharge, medically necessary	0692	Pre-hospice/Palliative Care Services – hourly charge
0229	Special charges - other	0693	Pre-hospice/Palliative Care Services - evaluation
0230	Incremental nursing care - general	0694	Pre-hospice/Palliative Care Services – consultation and education
0231	Incremental nursing care - nursery	0695	Pre-hospice/Palliative Care Services – inpatient care
0232	Incremental nursing care - OB	0696	Pre-hospice/Palliative Care Services – physician services
0233	Incremental nursing care - ICU (includes transitional care)	0699	Pre-hospice/Palliative Care Services - other
0234	Incremental nursing care - CCU (includes transitional care)	0700	Cast Room services - general
0235	Incremental nursing care - hospice	0710	Recovery Room services - general
0239	Incremental nursing care - other	0720	Labor/Delivery Room services - general
0240	All-inclusive ancillary - general	0721	Labor/Delivery Room services - labor
0241	All-inclusive ancillary - basic	0722	Labor/Delivery Room services - delivery
0242	All-inclusive ancillary - comprehensive	0723	Labor/Delivery Room services - circumcision
0243	All-inclusive ancillary - specialty	0724	Labor/Delivery Room services - birthing center
0249	All-inclusive ancillary - other	0729	Labor/Delivery Room services - other
0250	Pharmacy - general	0730	EKG/ECG services - general
0251	Pharmacy - generic drugs	0731	EKG/ECG services - holter monitor
0252	Pharmacy - nongeneric drugs	0732	EKG/ECG services - telemetry
0253	Pharmacy - take-home drugs	0739	EKG/ECG services - other
0254	Pharmacy - drugs incident to other diagnostic services	0740	EEG services - general
0255	Pharmacy - drugs incident to radiology	0750	Gastrointestinal services - general

0256	Pharmacy - experimental drugs	0760	Treatment or observation room services -
0257	Pharmacy - nonprescription	0761	general Specialty Room - Treatment/ Observation Room - Treatment Room
0258	Pharmacy - IV solutions	0762	Specialty Room - Treatment/ Observation Room - Observation Room
0259	Pharmacy - other	0769	Treatment or observation room services - other
0260	IV Therapy - general	0770	Preventive care services - general
0261	IV Therapy - infusion pump	0771	Preventive care services - vaccine
0262	IV Therapy - pharmacy services	0780	administration Telemedicine services - general
0263	IV Therapy - durg/supply delivery	0790	Extra-corporeal shockwave therapy - general
0264	IV Therapy - supplies	0800	Inpatient renal dialysis services - general
0269	IV Therapy - other	0801	Inpatient renal dialysis services - hemodialysis
0270	Medical surgical supplies and devices - general	0802	Inpatient renal dialysis services - peritoneal (non-CAPD)
0271	Medical surgical supplies and devices - nonsterile	0803	Inpatient renal dialysis services - continuous ambulatory peritoneal dialysis (CAPD)
0272	Medical surgical supplies and devices - sterile	0804	Inpatient renal dialysis services - continuous cycling peritoneal dialysis (CAPD)
0273	Medical surgical supplies and devices - take- home	0809	Inpatient renal dialysis services - other
0274	Medical surgical supplies and devices - prosthetic/orthotic	0810	Acquisition of body components- general
0275	Medical surgical supplies and devices - pacemaker	0811	Acquisition of body components - living donor
0276	Medical surgical supplies and devices - intraocular lens (IOL)	0812	Acquisition of body components - cadaver donor
0277	Medical surgical supplies and devices - oxygen - take-home	0813	Acquisition of body components - unknown donor
0278	Medical surgical supplies and devices - other implants	0814	Acquisition of body components - unsuccessful organ search-donor bank charges
0279	Medical surgical supplies and devices - other	0815	Acquisition of body components – stem cells- allogeneic
0280	Oncology - general	0819	Acquisition of body components - other donor
0289	Oncology - other	0820	Hemodialysis - outpatient or home - general
0290	DME - general	0821	Hemodialysis - outpatient or home - composite or other rate
0291	DME - rental	0822	Hemodialysis - outpatient or home – home supplies
0292	DME - purchase of new	0823	Hemodialysis - outpatient or home – home equipment
0293	DME - purchase of used	0824	Hemodialysis - outpatient or home – maintenance 100%
0294	DME - supplies/drugs for DME effectiveness	0825	Hemodialysis - outpatient or home - support services
0299	DME - other equipment	0826	Hemodialysis - outpatient or home – shorter duration (effective 7/1/17)
0300	Laboratory - general	0829	Hemodialysis - outpatient or home - other
0301	Laboratory - chemistry	0830	Peritoneal dialysis - outpatient or home - general
0302	Laboratory - immunology	0831	Peritoneal dialysis - outpatient or home - composite or other rate
0303	Laboratory - renal patient (home)	0832	Peritoneal dialysis - outpatient or home – home supplies
0304	Laboratory - nonroutine dialysis	0833	Peritoneal dialysis - outpatient or home – home equipment
0305	Laboratory - hemotology	0834	Peritoneal dialysis - outpatient or home – maintenance 100%
0306	Laboratory - bacteriology and microbiology	0835	Peritoneal dialysis - outpatient or home - support services
0307	Laboratory - urology	0839	Peritoneal dialysis - outpatient or home - other
0309	Laboratory - other	0840	CAPD - outpatient or home - general
0310	Laboratory pathological - general	0841	CAPD - outpatient or home - composite or other rate
0311	Laboratory pathological - cytology	0842	CAPD - outpatient or home – home supplies
 0312	Laboratory pathological - histology	0843	CAPD - outpatient or home – home equipment
			DOI10 D

0314	Laboratory pathological - biopsy	0844	CAPD - outpatient or home – maintenance 100%
0319	Laboratory pathological - other	0845	CAPD - outpatient or home - support services
0320	Radiology - diagnostic - general	0849	CAPD - outpatient or home - other
0320	Radiology - diagnostic - general Radiology - diagnostic - angiocardiography	0850	CCPD - outpatient or home - general
0321	Radiology - diagnostic - arthrography	0851	CCPD - outpatient or home - composite or other
0323	Radiology - diagnostic - arteriography	0852	rate CCPD - outpatient or home - home supplies
0323		0853	•
0324	Radiology - diagnostic - chest x-ray Radiology - diagnostic - other	0854	CCPD - outpatient or home - home equipment CCPD - outpatient or home - maintenance 100%
0329	Radiology - therapeutic and/or chemotherapy	0855	CCPD - outpatient or nome - maintenance 100% CCPD - outpatient or home - support services
0330	adminstration - general Radiology - therapeutic and/or chemotherapy	0859	CCPD - outpatient or nome - support services CCPD - outpatient or home - other
	adminstration - chemotherapy - injected		•
0332	Radiology - therapeutic and/or chemotherapy adminstration - chemotherapy - oral	0860	Magnetoencephalography (MEG) - General
0333	Radiology - therapeutic and/or chemotherapy adminstration - radiation therapy	0861	Magnetoencephalography (MEG) - MEG
0335	Radiology - therapeutic and/or chemotherapy adminstration - chemotherapy - IV	0880	Miscellaneous dialysis - general
0339	Radiology - therapeutic and/or chemotherapy adminstration - other	0881	Miscellaneous dialysis - ultrafiltration
0340	Nuclear medicine - general	0882	Miscellaneous dialysis - home aide visit
0341	Nuclear medicine - diagnostic procedures	0889	Miscellaneous dialysis - other
0342	Nuclear medicine - therapeutic procedures	0900	Behavior health reatments/services - general
0343	Nuclear medicine - diagnostic	0901	Behavior health treatments/services -
0344	radiopharmaceuticals Nuclear medicine - therapeutic	0902	electroshock Behavior health treatments/services - milieu
0349	radiopharmaceuticals Nuclear medicine - other	0903	therapy Behavioral health treatments/services - play
	Nuclear medicine - other		therapy
0350	CT scan - general	0904	Behavior health treatments/services - activity therapy
0351	CT scan - head	0905	Behavior health treatments/services - intensive outpatient services - psychiatric
0352	CT scan - body	0906	Behavior health treatments/services - intensive outpatient services - chemical dependency
0359	CT scan - other	0907	Behavior health treatments/services - community behavioral health program
0360	Operating room services - general	0911	Behavior health treatment/services - rehabilitation
0361	Operating room services - minor surgery	0912	Behavior health treatment/services - partial hospitalization - less intensive
0362	Operating room services - organ transplant other than kidney	0913	Behavior health treatment/services - partial hospitalization - intensive
0367	Operating room services - kidney transplant	0914	Behavior health treatment/services - individual therapy
0369	Operating room services - other	0915	Behavior health treatment/services - group therapy
0370	Anesthesia - general	0916	Behavior health treatment/services - family therapy
0371	Anesthesia - incident to radiology	0917	Behavior health treatment/services - biofeedback
0372	Anesthesia - incident to other diagnostic services	0918	Behavior health treatment/services - testing
0374	Anesthesia - acupuncture	0919	Behavior health treatment/services - other
0379	Anesthesia - other	0920	Other diagnostic services - general
0380	Blood - general	0921	Other diagnostic services - peripheral vascular
0381	Blood - packed red cells	0922	lab Other diagnostic services - electromyelogram
0382	Blood - whole blood	0922	Other diagnostic services - electromyelogram Other diagnostic services - pap smear
0382	Blood - plasma	0923	Other diagnostic services - pap sinear Other diagnostic services - allergy test
0384	Blood - platelets	0924	Other diagnostic services - anergy test Other diagnostic services - pregnancy test
0385	Blood - leukocytes	0929	Other diagnostic services - pregnancy test
0386	-	0929	_
0380	Blood - other components	0931	Medical rehabilitation day program - half day

0207	N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0022	N. C. 1 1127 C. 1
0387	Blood - other derivatives (cryoprecipitates)	0932	Medical rehabilitation day program - full day
0389	Blood - other	0940	Other therapeutic services - general
0390	Blood amd blood component administration, storage and processing - general	0941	Other therapeutic services - recreational therapy
0391	Blood and blood component administration, storage and processing - administration	0942	Other therapeutic services - education/training
0392	Blood and blood component administration, storage and processing – processing and sorage	0943	Other therapeutic services - cardiac rehabilitation
0399	Blood and blood component administration, storage and processing - other	0944	Other therapeutic services - drug rehabilitation
0400	Other imaging services - general	0945	Other therapeutic services - alcohol rehabilitation
0401	Other imaging services - diagnostic mammography	0946	Other therapeutic services - complex medical equipment - routine
0402	Other imaging services - ultrasound	0947	Other therapeutic services - complex medical equipment - ancillary
0403	Other imaging services - screening mammography	0948	Other therapeutic services – pulmonary rehabilitation
0404	Other imaging services - PET	0949	Other therapeutic services - other
0409	Other imaging services - other	0951	Other therapeutic services – athletic training
0410	Respiratory services - general	0952	Other therapeutic services - kinesiotherapy
0412	Respiratory services - inhalation	0953	Other therapeutic services – chemical
			dependency (drug and alcohol)
0413	Respiratory services - hyperbaric oxygen therapy	0960	Professional fees - general
0419	Respiratory services - other	0961	Professional fees - psychiatric
0420	Physical therapy - general	0962	Professional fees - ophthalmology
0421	Physical therapy - visit charge	0963	Professional fees - anesthesiologist (MD)
0422	Physical therapy - hourly charge	0964	Professional fees - anesthetist (CRNA)
0423	Physical therapy - group rate	0969	Professional fees - other
0424	Physical therapy - evaluation or reevaluation	0971	Professional fees - laboratory
0429	Physical therapy - other	0972	Professional fees - radiology - diagnostic
0430	Occupational therapy - general	0973	Professional fees - radiology - therapeutic
0431	Occupational therapy - visit charge	0974	Professional fees - readiology - nuclear medicine
0432	Occupational therapy - hourly charge	0975	Professional fees - operating room
0433	Occupational therapy - group rate	0976	Professional fees - respiratory therapy
0434	Occupational therapy - evaluation or reevaluation	0977	Professional fees - physical therapy
0439	Occupational therapy - other	0978	Professional fees - occupational therapy
0440	Speech-language pathology - general	0979	Professional fees - speech therapy
0441	Speech-language pathology - visit charge	0981	Professional fees - emergency room
0442	Speech-language pathology - hourly charge	0982	Professional fees - outpatient services
0443	Speech-language pathology - group rate	0983	Professional fees - clinic
0444	Speech-language pathology - evaluation or reevaluation	0984	Professional fees - medical social services
0449	Speech-language pathology - other	0985	Professional fees - EKG
0450	Emergency room - general	0986	Professional fees - EEG
0451	Emergency room - EMTALA emergency medical screening services	0987	Professional fees - hospital visit
0452	Emergency room - beyond EMTALA screening	0988	Professional fees - consultation
0456	Emergency room - urgent care	0989	Professional fees - private duty nurse
0459	Emergency room - other	0990	Patient convenience items - general
0460	Pulmonary function - general	0991	Patient convenience items - cafeteria/guest tray
0469	Pulmonary function - other	0992	Patient convenience items - private linen service
0470	Audiology - general	0993	Patient convenience items - telephone/telegraph
0471	Audiology - diagnostic	0994	Patient convenience items - TV/radio
0472	Audiology - treatment	0995	Patient convenience items - nonpatient room
0479	Audiology - other	0996	rentals Patient convenience items - late discharge charge
0480	Cardiology - general	0997	Patient convenience items - admission kits

	0.401	C F1 F 3.11	0000	70.0
	0481	Cardiology - cardiac cath lab	0998	Patient convenience items - beauty shop/barber
	0482	Cardiology - stress test	0999	Patient convenience items - other
	0483	Cardiology - echocardiology	1000	Behavior health accommodations - general
	0489	Cardiology - other	1001	Behavior health accommodations - residential treatment - psychiatric
	0490	Ambulatory surgical care - general	1002	Behavior health accommodations - residential treatment - chemical dependency
	0499	Ambulatory surgical care - other	1003	Behavior health accommodations - supervised living
	0500	Outpatient services - general	1004	Behavior health accommodations - halfway house
	0509	Outpatient services - other	1005	Behavior health accommodations - group home
	0510	Clinic - general	2100	Alternative therapy services - general
	0511	Clinic - chronic pain	2101	Alternative therapy services - acupuncture
	0512	Clinic - dental	2102	Alternative therapy services - acupressure
	0513	Clinic - psychiatric	2103	Alternative therapy services - massage
	0514	Clinic - OB/GYN	2104	Alternative therapy services - reflexology
	0515	Clinic - pediatric	2105	Alternative therapy services - biofeedback
	0516	Clinic - urgent care	2106	Alternative therapy services - hypnosis
	0517	Clinic - family practice	2109	Alternative therapy services - other
	0519	Clinic - other	3101	Adult day care, medical and social - hourly
	0520	Freestanding Clinic - general	3102	Adult day care, social - hourly
	0521	Freestanding Clinic - Clinic Visit by Member to RHC/FQHC	3103	Adult day care, medical and social - daily
	0522	Freestanding Clinic - Home Visit by RHC/FQHC Practitioner	3104	Adult day care, social - daily
	0523	Freestanding Clinic - family practice	3105	Adult foster care - daily
	0524	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a Covered Part A	3109	Adult foster care - other
	0525	Stay at SNF Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a SNF (not Covered Part A Stay) or NF or ICF MR or Other Residential Facility		
	0526	Freestanding Clinic - urgent care		
Beginning Position:	13	Data Source:	Claim	
Length:	4	Type:	Alphan	umeric
Field 3:		CS QUALIFIER	7 HpHaH	
Description:	Code	identifying the type/source of the descrip	tive num	nber used in
Beginning Position:	17	CS_PROCEDURE_CODE Data Source:	Claim	
0 0	2			umeric
Length:		Type:	Aipiiaii	lumenc
Field 4		CS_PROCEDURE_CODE	CDCC)	1 11 11 / 211
Description:		A Common Procedure Coding System (Honmodations.	CPCS) c	ode applicable to ancillary services or
Coding Scheme:	See hi	ttp://www.cms.hhs.gov/HCPCSReleaseCo	odeSets/A	ANHCPCS/list.asp for complete list.
Beginning Position:	19	Data Source:	Claim	1
Length:	5	Type:		umeric
Field 5:		OIFIER 1	p	
Description:		fies special circumstances related to the p	erforma	nce of the service
Coding Scheme:	0	No assessment completed	F2	Left hand, third digit
county scheme:	1	Medicare 5 day assessment (full)	F3	Left hand, fourth digit
	2	Medicare 30 day assessment (full)	F4	Left hand, fifth digit
			E5	D' 1/1 1/1 1
	3	Medicare 60 day assessment (full)	F5	Right hand, thumb
	3 4	Medicare 90 day assessment (full)	F6	Right hand, second digit
	3 4 7	Medicare 90 day assessment (full) Medicare 14 day assessment (comprehensive or full)	F6 F7	Right hand, second digit Right hand, third digit
	3 4	Medicare 90 day assessment (full) Medicare 14 day assessment (comprehensive or	F6	Right hand, second digit

	25	Significant, separately identifiable evaluation an management service by the same physician on	d FA	Left hand, thumb	
		the same day of the procedure o			
	31	SCSA or OMRA/Medicare 5 day assessment	G1	Most recent URR of less than 60%	
	32	(replacement) SCSA or OMRA/Medicare 30 day assessment	G2	Most recent URR of 60% to 64%	
	32	(replacement)		Wost recent OKK of 00% to 04%	
	33	SCSA or OMRA/Medicare 60 day assessment (replacement)	G3	Most recent URR of 65% to 69.9%	
	34	SCSA or OMRA/Medicare 90 day assessment (replacement)	G4	Most recent URR of 70% to 74.9%	
	37	SCSA or OMRA/Medicare 14 day assessment (replacement)	G5	Most recent URR of 75% or greater	
	38	Significant change in status assessment (SCSA)	GN	Service delivered personally by a speech- language pathologist or under an outpatient speech-language pathology plan of care.	
	41	Significant correction of prior full assessment/Medicare 5 day assessment	GO	Service delivered personally by an occupational therapist or under an outpatient occupational therapy plan of care.	
	42	Significant correction of prior full	GP	Service delivered personally by an physical	
	12	assessment/Medicare 30 day assessment	Gi	therapist or under an outpatient physical therapy	
	12	Significant approaction of prior full	IC	plan of care.	
	43	Significant correction of prior full assessment/Medicare 60 day assessment	LC	Left circulflex coronary artery	
	44	Significant correction of prior full assessment/Medicare 90 day assessment	LD	Left anterior descending coronary artery	
	47	Significant correction of prior full assessment/Medicare 14 day assessment	LT	Left side of the body procedure	
	48	Significant correction of prior full	QM	Ambulance service provided under arrangement	
	50	assessment/OMRA or SCSA Bilateral procedure	QN	by a provider of services Ambulance service furnished directly by a	
	30	Bilateral procedure	QIV	provider of services	
	52	Reduced services	QP	Documentation exists showing that the laboratory test(s) was ordered individually, or as	
	52	Discontinued and done	D.C.	CPT-recognized panel other than profil	
	53	Discontinued procedure	RC	Right coronary artery	
	54	Quarterly review assessment - Medicare 90 assessment (full)	RT	Right side of the body procedure	
	58	Staged or related procedure or service by the same physician during the postoperative period	T1	Left foot, second digit	
	59	Distinct procedural service	T2	Left foot, third digit	
	76	Repeat procedure by same physician	T3	Left foot, fourth digit	
	77	Repeat procedure by another physician	T4	Left foot, fifth digit	
	78	Return to the operating room for a related procedure during the postoperative period	T5	Right foot, great toe	
	79	Unrelated procedure of service by the same physician during the postoperative period	Т6	Right foot, second digit	
	E1	Upper left eyelid	T7	Right foot, third digit	
	E2	Lower left eyelid	T8	Right foot, fourth digit	
	E3	Upper right eyelid	Т9	Right foot, fifth digit	
	E4	Lower right eyelid	TA	Left foot, great toe	
	F1	Left hand, second digit			
Beginning Position:	24	Data Source:	Claim		
Length:	2	Type:	Alphar	numeric	
Field 6:	MOI	DIFIER_2	·		
Description:		ifies special circumstances related to the	performa	ince of the service.	
Coding Scheme:	Same	e as Field MODIFIER_1			
Beginning Position:	26	Data Source:	Claim		
Length:	2	Type:	Alphar	numeric	
Field 7:	MOI	DIFIER_3			
Description:	Ident	ifies special circumstances related to the	performa	nce of the service.	
Coding Scheme:	Samo	e as Field MODIFIER_1			
Beginning Position:	28	Data Source:	Claim		
Length:	2	Type:	<u>Alph</u> ar	numeric	
<u> </u>			-		

DSHS/THCIC www.dshs.state.tx.us/THCIC

Page 51 DSHS Document # E25-14163
Last Updated: March, 2017

Field 8:	MODIFIER 4			
Description:	Identifies special circumstar	nces related to the	performance of the service.	
Coding Scheme:	Same as Field MODIFIER 1			
Beginning Position:	30	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 9:	UNIT MEASUREMENT			
Description:	Code specifying the units in		being expressed.	
Coding Scheme:	DA Days		8 L	
	F2 International unit			
D 1 1 D 14	UN Unit	D + C	CI.	
Beginning Position:	32	Data Source:	Claim	
Length:	2	Type:	Alphanumeric	
Field 10:	UNITS_OF_SERVICE			
Description:	Numeric value of quantity			
Beginning Position:	34	Data Source:	Claim	
Length:	7	Type:	Numeric	
Field 11:	UNIT_RATE			
Description:	Rate per unit			
Beginning Position:	41	Data Source:	Claim	
Length:	12	Type:	Numeric	
Field 12:	CHRGS_LINE_ITEM			
Description:	Total amount of the charge			
Beginning Position:	53	Data Source:	Assigned	
Length:	14	Type:	Numeric	
Field 13:	CHRGS_NON_COV			
Description:	Total non-covered amount of	of the charge		
Beginning Position:	67	Data Source:	Assigned	
Length:	14	Type:	Numeric	

FACILITY TYPE INDICATOR FILE

Facility type indicators provided by the facilities. Provide the data user with information on the type of facility providing the inpatient service.

Etala 1.	THEIC ID
Field 1:	THCIC_ID Provides ID. Unique identifier assigned to the provides by DSHS
Description:	Provider ID. Unique identifier assigned to the provider by DSHS.
Beginning Position:	1 Data Source: Assigned
Length:	6 Type: Alphanumeric
Field 2	PROVIDER_NAME
Description:	Hospital name provided by the hospital.
Beginning Position:	7 Data Source: Provider
Length:	55 Type: Alphanumeric
Field 3:	FAC_TEACHING_IND
Description:	Teaching Facility Indicator.
Suppression:	Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').
Coding Scheme:	A Member, Council of Teaching Hospitals
	X Other teaching facility
Beginning Position:	62 Data Source: Provider
Length:	1 Type: Alphanumeric
Field 4:	FAC_PSYCH_IND
Description:	Psychiatric Facility Indicator.
Suppression:	Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').
Beginning Position:	Data Source: Provider
Length:	1 Type: Alphanumeric
Field 5:	FAC_REHAB_IND
Description:	Rehabilitation Facility Indicator.
Suppression:	Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').
Beginning Position:	64 Data Source: Provider
Length:	1 Type: Alphanumeric
Field 6:	FAC_ACUTE_CARE_IND
Description:	Acute Care Facility Indicator.
Suppression:	Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').
Beginning Position:	65 Data Source: Provider
Length:	1 Type: Alphanumeric
Field 7:	FAC_SNF_IND
Description:	Skilled Nursing Facility Indicator. Hospital facility type indicator provided by the hospital.
Suppression:	Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').
Beginning Position:	66 Data Source: Provider
Length:	1 Type: Alphanumeric
Field 8:	FAC_LONG_TERM_AC_IND
Description:	Long Term Acute Care Facility Indicator.
Suppression:	Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').
Beginning Position:	67 Data Source: Provider
Length:	1 Type: Alphanumeric
Field 9:	FAC_OTHER_LTC_IND
Description:	Other Long Term Care Facility Indicator.
Suppression:	Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').
Beginning Position:	Data Source: Provider
Length:	1 Type: Alphanumeric
Field 10:	FAC PEDS IND
Description:	Pediatric Facility Indicator.
Suppression:	Suppressed for hospitals with fewer than 50 discharges (Provider ID equals '999999').
Coding Scheme:	C Member, National Association of Children's Hospitals and Related Institutions (NACHRI)
G	X Facilities that also treat children
DSHS/THCIC	DSHS Document # E25-14163
www.dshs.state.tx.us/T	Ερασο Νά
www.usiis.state.tx.us/ 1	HCIC Last Updated: March, 2017

Beginning Position:	69	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 11:	POA_PROVIDER_INDIC	CATOR	
Description:	Indicator identifying whether	er facility is req	uired to submit Diagnosis Present on Admission
-	(POA) codes. 25 TAC §42	1.9(e) identifies	the following facility types as exempt from
	reporting POA to the depart	tment: Critical A	Access Hospitals, Inpatient Rehabilitation
	Hospitals, Inpatient Psych	iatric Hospitals,	Cancer Hospitals ,Children's or Pediatric
	Hospitals and Long Term (Care Hospitals.	•
Coding Scheme:			pted from reporting POA for those patients)
0	R Required		
	X Exempt ` Invalid		
Doginning Dogitions		Data Sauraa	Assigned
Beginning Position:		Data Source:	Assigned
Length:		Type:	Alphanumeric
Field 12:	CERT_STATUS		
Description:			cation of data and submission of comments by the
	hospital. First available 3 rd	quarter 1999.	
Coding Scheme:	1 Certified, without comment	t	
3	2 Certified, with comment		
	3 Certified, with comment, co		d by deadline
	4 Hospital elected not to certi	•	
	5 Hospital closed, data not ce		
	6 Hospital out of compliance,	, did not certify data	
Beginning Position:	71 D	ata Source:	Assigned
Length:	1 T	ype:	Alphanumeric

Texas Department of State Health Services

Texas Hospital Inpatient Discharge Public Use Data File DATA FIELDS

BASE DATA #1 FILE

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
1	RECORD_ID Does NOT match the RECORD_ID in THCIC Research Data Files (RDF's).	1	12	Alphanumeric
2	DISCHARGE	13	6	Alphanumeric
3	THCIC_ID	19	6	Alphanumeric
4	TYPE_OF_ADMISSION	25	1	Alphanumeric
5	SOURCE_OF_ADMISSION	26	1	Alphanumeric
6	SPEC_UNIT_1	27	1	Alphanumeric
7	SPEC_UNIT_2	28	1	Alphanumeric
8	SPEC_UNIT_3	29	1	Alphanumeric
9	SPEC_UNIT_4	30	1	Alphanumeric
10	SPEC_UNIT_5	31	1	Alphanumeric
11	PAT_STATE	32	2	Alphanumeric
12	PAT_ZIP	34	5	Alphanumeric
13	PAT_COUNTRY	39	2	Alphanumeric
14	PAT_COUNTY	41	3	Alphanumeric
15	PUBLIC_HEALTH_REGION	44	2	Alphanumeric
16	PAT_STATUS	46	2	Alphanumeric
17	SEX_CODE	48	1	Alphanumeric
18	RACE	49	1	Alphanumeric
19	ETHNICITY	50	1	Alphanumeric
20	ADMIT_WEEKDAY	51	1	Alphanumeric
21	LENGTH_OF_STAY	52	4	Alphanumeric
22	PAT_AGE	56	2	Alphanumeric
23	FIRST_PAYMENT_SRC	58	2	Alphanumeric
24	SECONDARY_PAYMENT_SRC	60	2	Alphanumeric
25	TYPE_OF_BILL	62	3	Alphanumeric
26	TOTAL_CHARGES	65	12	Numeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
27	TOTAL_NON_COV_CHARGES	77	12	Numeric
28	TOTAL_CHARGES_ACCOMM	89	12	Numeric
29	TOTAL_NON_COV_CHARGES_ACCOMM	101	12	Numeric
30	TOTAL_CHARGES_ANCIL	113	12	Numeric
31	TOTAL_NON_COV_CHARGES_ANCIL	125	12	Numeric
32	ADMITTING_DIAGNOSIS	137	7	Alphanumeric
33	PRINC_DIAG_CODE	144	7	Alphanumeric
34	POA_PRINC_DIAG_CODE	151	1	Alphanumeric
35	OTH_DIAG_CODE_1	152	7	Alphanumeric
36	POA_OTH_DIAG_CODE_1	159	1	Alphanumeric
37	OTH_DIAG_CODE_2	160	7	Alphanumeric
38	POA_OTH_DIAG_CODE_2	167	1	Alphanumeric
39	OTH_DIAG_CODE_3	168	7	Alphanumeric
40	POA_OTH_DIAG_CODE_3	175	1	Alphanumeric
41	OTH_DIAG_CODE_4	176	7	Alphanumeric
42	POA_OTH_DIAG_CODE_4	183	1	Alphanumeric
43	OTH_DIAG_CODE_5	184	7	Alphanumeric
44	POA_OTH_DIAG_CODE_5	191	1	Alphanumeric
45	OTH_DIAG_CODE_6	192	7	Alphanumeric
46	POA_OTH_DIAG_CODE_6	199	1	Alphanumeric
47	OTH_DIAG_CODE_7	200	7	Alphanumeric
48	POA_OTH_DIAG_CODE_7	207	1	Alphanumeric
49	OTH_DIAG_CODE_8	208	7	Alphanumeric
50	POA_OTH_DIAG_CODE_8	215	1	Alphanumeric
51	OTH_DIAG_CODE_9	216	7	Alphanumeric
52	POA_OTH_DIAG_CODE_9	223	1	Alphanumeric
53	OTH_DIAG_CODE_10	224	7	Alphanumeric
54	POA_OTH_DIAG_CODE_10	231	1	Alphanumeric
55	OTH_DIAG_CODE_11	232	7	Alphanumeric
56	POA_OTH_DIAG_CODE_11	239	1	Alphanumeric
57	OTH_DIAG_CODE_12	240	7	Alphanumeric
58	POA_OTH_DIAG_CODE_12	247	1	Alphanumeric
59	OTH_DIAG_CODE_13	248	7	Alphanumeric
60	POA_OTH_DIAG_CODE_13	255	1	Alphanumeric
61	OTH_DIAG_CODE_14	256	7	Alphanumeric
62	POA_OTH_DIAG_CODE_14	263	1	Alphanumeric
63	OTH_DIAG_CODE_15	264	7	Alphanumeric
64	POA_OTH_DIAG_CODE_15	271	1	Alphanumeric
65	OTH_DIAG_CODE_16	272	7	Alphanumeric
66	POA_OTH_DIAG_CODE_16	279	1	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
67	OTH_DIAG_CODE_17	280	7	Alphanumeric
68	POA_OTH_DIAG_CODE_17	287	1	Alphanumeric
69	OTH_DIAG_CODE_18	288	7	Alphanumeric
70	POA_OTH_DIAG_CODE_18	295	1	Alphanumeric
71	OTH_DIAG_CODE_19	296	7	Alphanumeric
72	POA_OTH_DIAG_CODE_19	303	1	Alphanumeric
73	OTH_DIAG_CODE_20	304	7	Alphanumeric
74	POA_OTH_DIAG_CODE_20	311	1	Alphanumeric
75	OTH_DIAG_CODE_21	312	7	Alphanumeric
76	POA_OTH_DIAG_CODE_21	319	1	Alphanumeric
77	OTH_DIAG_CODE_22	320	7	Alphanumeric
78	POA_OTH_DIAG_CODE_22	327	1	Alphanumeric
79	OTH_DIAG_CODE_23	328	7	Alphanumeric
80	POA_OTH_DIAG_CODE_23	335	1	Alphanumeric
81	OTH_DIAG_CODE_24	336	7	Alphanumeric
82	POA_OTH_DIAG_CODE_24	343	1	Alphanumeric
83	E_CODE_1	344	7	Alphanumeric
84	POA_E_CODE_1	351	1	Alphanumeric
85	E_CODE_2	352	7	Alphanumeric
86	POA_E_CODE_2	359	1	Alphanumeric
87	E_CODE_3	360	7	Alphanumeric
88	POA_E_CODE_3	367	1	Alphanumeric
89	E_CODE_4	368	7	Alphanumeric
90	POA_E_CODE_4	375	1	Alphanumeric
91	E_CODE_5	376	7	Alphanumeric
92	POA_E_CODE_5	383	1	Alphanumeric
93	E_CODE_6	384	7	Alphanumeric
94	POA_E_CODE_6	391	1	Alphanumeric
95	E_CODE_7	392	7	Alphanumeric
96	POA_E_CODE_7	399	1	Alphanumeric
97	E_CODE_8	400	7	Alphanumeric
98	POA_E_CODE_8	407	1	Alphanumeric
99	E_CODE_9	408	7	Alphanumeric
100	POA_E_CODE_9	415	1	Alphanumeric
101	E_CODE_10	416	7	Alphanumeric
102	POA_E_CODE_10	423	1	Alphanumeric
103	PRINC_SURG_PROC_CODE	424	7	Alphanumeric
104	PRINC_SURG_PROC_DAY	431	4	Alphanumeric
105	OTH_SURG_PROC_CODE_1	435	7	Alphanumeric
106	OTH_SURG_PROC_DAY_1	442	4	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
107	OTH_SURG_PROC_CODE_2	446	7	Alphanumeric
108	OTH_SURG_PROC_DAY_2	453	4	Alphanumeric
109	OTH_SURG_PROC_CODE_3	457	7	Alphanumeric
110	OTH_SURG_PROC_DAY_3	464	4	Alphanumeric
111	OTH_SURG_PROC_CODE_4	468	7	Alphanumeric
112	OTH_SURG_PROC_DAY_4	475	4	Alphanumeric
113	OTH_SURG_PROC_CODE_5	479	7	Alphanumeric
114	OTH_SURG_PROC_DAY_5	486	4	Alphanumeric
115	OTH_SURG_PROC_CODE_6	490	7	Alphanumeric
116	OTH_SURG_PROC_DAY_6	497	4	Alphanumeric
117	OTH_SURG_PROC_CODE_7	501	7	Alphanumeric
118	OTH_SURG_PROC_DAY_7	508	4	Alphanumeric
119	OTH_SURG_PROC_CODE_8	512	7	Alphanumeric
120	OTH_SURG_PROC_DAY_8	519	4	Alphanumeric
121	OTH_SURG_PROC_CODE_9	523	7	Alphanumeric
122	OTH_SURG_PROC_DAY_9	530	4	Alphanumeric
123	OTH_SURG_PROC_CODE_10	534	7	Alphanumeric
124	OTH_SURG_PROC_DAY_10	541	4	Alphanumeric
125	OTH_SURG_PROC_CODE_11	545	7	Alphanumeric
126	OTH_SURG_PROC_DAY_11	552	4	Alphanumeric
127	OTH_SURG_PROC_CODE_12	556	7	Alphanumeric
128	OTH_SURG_PROC_DAY_12	563	4	Alphanumeric
129	OTH_SURG_PROC_CODE_13	567	7	Alphanumeric
130	OTH_SURG_PROC_DAY_13	574	4	Alphanumeric
131	OTH_SURG_PROC_CODE_14	578	7	Alphanumeric
132	OTH_SURG_PROC_DAY_14	585	4	Alphanumeric
133	OTH_SURG_PROC_CODE_15	589	7	Alphanumeric
134	OTH_SURG_PROC_DAY_15	596	4	Alphanumeric
135	OTH_SURG_PROC_CODE_16	600	7	Alphanumeric
136	OTH_SURG_PROC_DAY_16	607	4	Alphanumeric
137	OTH_SURG_PROC_CODE_17	611	7	Alphanumeric
138	OTH_SURG_PROC_DAY_17	618	4	Alphanumeric
139	OTH_SURG_PROC_CODE_18	622	7	Alphanumeric
140	OTH_SURG_PROC_DAY_18	629	4	Alphanumeric
141	OTH_SURG_PROC_CODE_19	633	7	Alphanumeric
142	OTH_SURG_PROC_DAY_19	640	4	Alphanumeric
143	OTH_SURG_PROC_CODE_20	644	7	Alphanumeric
144	OTH_SURG_PROC_DAY_20	651	4	Alphanumeric
145	OTH_SURG_PROC_CODE_21	655	7	Alphanumeric
146	OTH_SURG_PROC_DAY_21	662	4	Alphanumeric

Number	FIELD NAME (Base Data #1 File)	Position	Length	Field Type
147	OTH_SURG_PROC_CODE_22	666	7	Alphanumeric
148	OTH_SURG_PROC_DAY_22	673	4	Alphanumeric
149	OTH_SURG_PROC_CODE_23	677	7	Alphanumeric
150	OTH_SURG_PROC_DAY_23	684	4	Alphanumeric
151	OTH_SURG_PROC_CODE_24	688	7	Alphanumeric
152	OTH_SURG_PROC_DAY_24	695	4	Alphanumeric
153	MS_MDC	699	2	Alphanumeric
154	MS_DRG	701	3	Alphanumeric
155	MS_GROUPER_VERSION_NBR	704	5	Alphanumeric
156	MS_GROUPER_ERROR_CODE	709	2	Alphanumeric
157	APR_MDC	711	2	Alphanumeric
158	APR_DRG	713	4	Alphanumeric
159	RISK_MORTALITY	717	1	Alphanumeric
160	ILLNESS_SEVERITY	718	1	Alphanumeric
161	APR_GROUPER_VERSION_NBR	719	5	Alphanumeric
162	APR_GROUPER_ERROR_CODE	724	2	Alphanumeric
163	ATTENDING_PHYSICIAN_UNIF_ID	726	10	Alphanumeric
164	OPERATING_PHYSICIAN_UNIF_ID	736	10	Alphanumeric
165	ENCOUNTER_INDICATOR	746	2	Alphanumeric
166	PROVIDER_NAME	748	55	Alphanumeric
	Record_Length		802	

BASE DATA #2 FILE

Number	Field Name(Base Data #2 File)	Position	Length	Field Type
1	RECORD ID Does NOT match the RECORD ID	1	10	A1 1
1	in THCIC Research Data Files (RDF's). PRIVATE AMOUNT	13	12	Alphanumeric
2	-		12	Numeric
3	SEMI_PRIVATE_AMOUNT	25	12	Numeric
4	WARD_AMOUNT	37	12	Numeric
5	ICU_AMOUNT	49	12	Numeric
6	CCU_AMOUNT	61	12	Numeric
7	OTHER_AMOUNT	73	12	Numeric
8	PHARM_AMOUNT	85	12	Numeric
9	MEDSURG_AMOUNT	97	12	Numeric
10	DME_AMOUNT	109	12	Numeric
11	USED_DME_AMOUNT	121	12	Numeric
12	PT_AMOUNT	133	12	Numeric
13	OT_AMOUNT	145	12	Numeric
14	SPEECH_AMOUNT	157	12	Numeric
15	IT_AMOUNT	169	12	Numeric
16	BLOOD_AMOUNT	181	12	Numeric
17	BLOOD_ADM_AMOUNT	193	12	Numeric
18	OR_AMOUNT	205	12	Numeric
19	LITH_AMOUNT	217	12	Numeric
20	CARD_AMOUNT	229	12	Numeric
21	ANES_AMOUNT	241	12	Numeric
22	LAB_AMOUNT	253	12	Numeric
23	RAD_AMOUNT	265	12	Numeric
24	MRI_AMOUNT	277	12	Numeric
25	OP AMOUNT	289	12	Numeric
26	ER_AMOUNT	301	12	Numeric
27	AMBULANCE AMOUNT	313	12	Numeric
28	PRO FEE AMOUNT	325	12	Numeric
29	ORGAN AMOUNT	337	12	Numeric
30	ESRD AMOUNT	349	12	Numeric
31	CLINIC AMOUNT	361	12	Numeric
32	OCCUR CODE 1	373	2	Alphanumeric
33	OCCUR DAY 1	375	4	Alphanumeric
34	OCCUR CODE 2	379	2	Alphanumeric
35	OCCUR DAY 2	381	4	Alphanumeric
36	OCCUR CODE 3	385	2	Alphanumeric
37	OCCUR DAY 3	387	4	Alphanumeric

DSHS/THCIC

www.dshs.state.tx.us/THCIC

Page 60

DSHS Document # E25-14163

Last Updated: March, 2017

Number	Field Name(Base Data #2 File)	Position	Length	Field Type
38	OCCUR_CODE_4	391	2	Alphanumeric
39	OCCUR_DAY_4	393	4	Alphanumeric
40	OCCUR_CODE_5	397	2	Alphanumeric
41	OCCUR_DAY_5	399	4	Alphanumeric
42	OCCUR_CODE_6	403	2	Alphanumeric
43	OCCUR_DAY_6	405	4	Alphanumeric
44	OCCUR_CODE_7	409	2	Alphanumeric
45	OCCUR_DAY_7	411	4	Alphanumeric
46	OCCUR_CODE_8	415	2	Alphanumeric
47	OCCUR_DAY_8	417	4	Alphanumeric
48	OCCUR_CODE_9	421	2	Alphanumeric
49	OCCUR_DAY_9	423	4	Alphanumeric
50	OCCUR_CODE_10	427	2	Alphanumeric
51	OCCUR_DAY_10	429	4	Alphanumeric
52	OCCUR_CODE_11	433	2	Alphanumeric
53	OCCUR_DAY_11	435	4	Alphanumeric
54	OCCUR_CODE_12	439	2	Alphanumeric
55	OCCUR_DAY_12	441	4	Alphanumeric
56	OCCUR_SPAN_CODE_1	445	2	Alphanumeric
57	OCCUR_SPAN_FROM_1	447	6	Alphanumeric
58	OCCUR_SPAN_THRU_1	453	6	Alphanumeric
59	OCCUR_SPAN_CODE_2	459	2	Alphanumeric
60	OCCUR_SPAN_FROM_2	461	6	Alphanumeric
61	OCCUR_SPAN_THRU_2	467	6	Alphanumeric
62	OCCUR_SPAN_CODE_3	473	2	Alphanumeric
63	OCCUR_SPAN_FROM_3	475	6	Alphanumeric
64	OCCUR_SPAN_THRU_3	481	6	Alphanumeric
65	OCCUR_SPAN_CODE_4	487	2	Alphanumeric
66	OCCUR_SPAN_FROM_4	489	6	Alphanumeric
67	OCCUR_SPAN_THRU_4	495	6	Alphanumeric
68	CONDITION_CODE_1	501	2	Alphanumeric
69	CONDITION_CODE_2	503	2	Alphanumeric
70	CONDITION_CODE_3	505	2	Alphanumeric
71	CONDITION_CODE_4	507	2	Alphanumeric
72	CONDITION_CODE_5	509	2	Alphanumeric
73	CONDITION_CODE_6	511	2	Alphanumeric
74	CONDITION_CODE_7	513	2	Alphanumeric
75	CONDITION_CODE_8	515	2	Alphanumeric
76	VALUE_CODE_1	517	2	Alphanumeric
77	VALUE_AMOUNT_1	519	9	Numeric

Number	Field Name(Base Data #2 File)	Position	Length	Field Type
78	VALUE_CODE_2	528	2	Alphanumeric
79	VALUE_AMOUNT_2	530	9	Numeric
80	VALUE_CODE_3	539	2	Alphanumeric
81	VALUE_AMOUNT_3	541	9	Numeric
82	VALUE_CODE_4	550	2	Alphanumeric
83	VALUE_AMOUNT_4	552	9	Numeric
84	VALUE_CODE_5	561	2	Alphanumeric
85	VALUE_AMOUNT_5	563	9	Numeric
86	VALUE_CODE_6	572	2	Alphanumeric
87	VALUE_AMOUNT_6	574	9	Numeric
88	VALUE_CODE_7	583	2	Alphanumeric
89	VALUE_AMOUNT_7	585	9	Numeric
90	VALUE_CODE_8	594	2	Alphanumeric
91	VALUE_AMOUNT_8	596	9	Numeric
92	VALUE_CODE_9	605	2	Alphanumeric
93	VALUE_AMOUNT_9	607	9	Numeric
94	VALUE_CODE_10	616	2	Alphanumeric
95	VALUE_AMOUNT_10	618	9	Numeric
96	VALUE_CODE_11	627	2	Alphanumeric
97	VALUE_AMOUNT_11	629	9	Numeric
98	VALUE_CODE_12	638	2	Alphanumeric
99	VALUE_AMOUNT_12	640	9	Numeric
	Record_Length		648	

CHARGES DATA FILE

Number	Field Name	Position	Length	Field Type
1	RECORD_ID	1	12	Alphanumeric
2	REVENUE_CODE	13	4	Alphanumeric
3	HCPCS_QUALIFIER	17	2	Alphanumeric
4	HCPCS_PROCEDURE_CODE	19	5	Alphanumeric
5	MODIFIER_1	24	2	Alphanumeric
6	MODIFIER_2	26	2	Alphanumeric
7	MODIFIER_3	28	2	Alphanumeric
8	MODIFIER_4	30	2	Alphanumeric
9	UNIT_MEASUREMENT_CODE	32	2	Alphanumeric
10	UNITS_OF_SERVICE	34	7	Numeric
11	UNIT_RATE	41	12	Numeric
12	CHRGS_LINE_ITEM	53	14	Numeric
13	CHRGS_NON_COV	67	14	Numeric
	Record_Length		80	

FACILITY TYPE INDICATOR FILE

Number	Field Name	Position	Length	Field Type
1	THCIC_ID	1	6	Alphanumeric
2	PROVIDER_NAME	7	55	Alphanumeric
3	FAC_TEACHING_IND	62	1	Alphanumeric
4	FAC_PSYCH_IND	63	1	Alphanumeric
5	FAC_REHAB_IND	64	1	Alphanumeric
6	FAC_ACUTE_CARE_IND	65	1	Alphanumeric
7	FAC_SNF_IND	66	1	Alphanumeric
8	FAC_LONG_TERM_AC_IND	67	1	Alphanumeric
9	FAC_OTHER_LTC_IND	68	1	Alphanumeric
10	FAC_PEDS_IND	69	1	Alphanumeric
11	POA_PROVIDER_INDICATOR	70	1	Alphanumeric
12	CERT_STATUS	71	1	Alphanumeric
	Record_Length		71	